Index of Papers Published in 1971 Journals

Author Index

Aagaard, P. M. and Petrauskas, C.: Extrapolation of Historical Storm Data for Estimating Design-Wave Heights, SPEJ Mar., 23

Al-Hussainy, R. and Odeh, A. S.: A Method for Determining the Static Pressure of a Well from Buildup

ing the Static Pressure of a Well from Buildup Data, JPT May, 621

Alikhan, A. A. and Farouq Ali, S. M.: Oil Recovery by Hydrocarbon Slugs Driven by a Hot Water Bank, (Tech. Paper) SPEJ Dec., 342

Anderson, F., et al: Well Completions — A Look Forward, (Art.) JPT Jan., 128

Archer, D. L. and Owens, W. W.: The Effect of Rock Wettability on Oil-Water Relative Permeability Relationships, JPT July, 873

Arps, J. J., et al: Relationship Between Proved Reserves And Exploratory Effort, (Tech. Paper) JPT June, 671

S. D.: $H_2S - A$ Toxic Gas That Can Kill, (Forum) JPT Mar., 273 Atherton,

B

Banks, M., et al: Technology, Economics, Communication

— Keys to Drilling Success in Coming Decades,
(Art.) JPT Jan., 122

A.: Evaluation and Modification of the Means San Andres Unit Waterflood, (Tech. Paper) JPT Barbe, J.

San Andres Unit Waterflood, (Tech. Paper) JPT
Dec., 1421

Barbe, J. A. and Boyd, B. L.: Short-Term Buildup Testing,
(Tech. Paper) JPT July, 800

Bayazeed, A. F., et al: Oil Vaporization During Steamflooding, JPT June, 731

Beaver, K. W., et al: Little Buffalo Basin Tensleep Heterogeneity — Its Influence on Drilling and Secondary
Recovery, (Tech. Paper) JPT Feb., 161

Bia, P. and Combarnous, M.: Combined Free and Forced
Convection in Porous Media, SPEJ Dec., 399

Biglane, K.: Government Views on Water-Pollution Control, (Forum) JPT July, 829

Blackwell, R. J. and Richardson, J. G.: Use of Simple
Mathematical Models for Predicting Reservoir Behavior, JPT Sept., 1145

Blair, E. A., et al: A Reservoir Study of the Friendswood
Field, (Tech. Paper) JPT June, 685

Bluestein, E., Jr.: Admiralty Law and Its Effect on Offshore
Development, (Tech. Paper) JPT Mar., 276

Bonnet, J. L., et al: The Production Combination Tool—
A New System for Production Monitoring, (Tech.
Paper) JPT May, 603

Boone, D., et al: Well Completions — A Look Forward,
(Art.) JPT Jan., 128

Borst, R. L. and Shell, F. J.: The Effect of Thinners on the
Fabric of Clay Muds and Gels, (Tech. Paper) JPT
Oct., 1193

Bosley, T. G., et al: Cementing Materials for Cold Environ-

Fabric of Clay Muds and Gels, (Tech. Paper) JPT
Oct., 1193

Bosley, T. G., et al: Cementing Materials for Cold Environments, (Tech. Paper) JPT Oct., 1215

Boubeguira, A., et al: Compositional Reservoir Simulator for Fissured Systems—The Single Block Model, (Tech. Paper) SPEJ June, 113

Boyd, B. L. and Barbe, J. A.: Short-Term Buildup Testing, (Tech. Paper) JPT July, 800

Bray, B. G. and Coffer, H. F.: Can Petroleum Engineering Survive the Space Age?, (Art.) JPT Jan., 63

Brill, J. P., et al: An Efficient Model for Evaluating Gas Field Gathering System Design, (Tech. Paper) JPT Sept., 1067

Brooks, F. A., Jr.: Consolidation of Dirty Sands by Phenol-Formaldehyde Plastic, (Tech. Paper) JPT Aug., 934

Burley, J. D. and Drouin, A. H.: A Solution to Ground Subsidence Problems in Casing Strings and Well-heads, (Tech. Paper) JPT June, 654

Campbell, W. M., et al: Competitive Bidding in High-Risk

Situations, (Tech. Paper) JPT June, 641
Capen, E. C., et al: Competitive Bidding in High-Risk Situations, (Tech. Paper) JPT June, 641

Carter, M. A., et al: Cemeting Materials for Cold Environ-ments, (Tech. Paper) JPT Oct., 1215 Casad, B. M., et al: The Effect of Cathodic Protection on the Corrosion Fatigue Behavior of Carbon Steel in Synthetic Sea Water, (Tech. Paper) JPT Mar.,

283 Casey, T. J.: A Field Test of the In-Situ Combustion Process in a Near-Depleted Water Drive Reservoir, (Tech. Paper) JPT Feb., 153
Caudle, B. H. and LeBlanc, J. L.: A Streamline Model for Secondary Reconvery (Tech. Paper) SPEI Mos. 7

Caudle, B. H. and Leblanc, J. L.: A Streamline Model for
Secondary Recovery, (Tech. Paper) SPEJ Mar., 7
Caudle, B. H. and Robertson, R. W.: Permeability Continuity of Laminae in the Calvin Sandstone, (Tech.
Paper) JPT June, 661
Caudle, B. H., et al: Adverse Influence of Stratification on a

Caudle, B. H., et al: Adverse Influence of Stratification on a
Gas Cycling Project, (Tech. Paper) JPT Feb., 191
Cavanaugh, R. J., et al: Comparison of Conventional Core
Data, Well Logging Analyses and Sidewall Samples, (Tech. Paper) JPT Dec., 1409
Champlin, J. B. F.: The Physics of Fine-Particle Movement
Through Permeable Aquifers, (Tech. Paper) SPEJ
Dec., 367
Chaudhari, N. M.: An Improved Numerical Technique for
Solving Multidimensional Miscible Displacement
Equations, SPEJ Sept., 277
Cheatham, J. B., Jr., and Miller, T. W.: Rock/Bit-Tooth
Interaction for Conical Bit Teeth, SPEJ June, 162
Cheatham, J. B., Jr., and Schneider, W. C.: Indentation
Analysis for General Shapes of Surface Boundaries
and Punch Profiles, SPEJ Sept., 321

Analysis for General Shapes of Surface Boundaries and Punch Profiles, SPEJ Sept., 321
Chu, C.: Kinetics of Methane Oxidation Inside Sandstone Matrices, (Tech. Paper) SPEJ June, 145
Clapp, R. V., et al: Competitive Bidding in High-Risk Situa-

Clapp, R. V., et al: Competitive Bidding in High-Risk Situations, (Tech. Paper) JPT June, 641
Clark, C. O., et al: Chemical Method for Formation Plugging, (Tech. Paper) JPT May, 559
Clavier, C., et al: Quantitative Interpretation of Thermal Neutron Decay Time Logs: Part I. Fundamentals and Techniques, JPT June, 743
Quantitative Interpretation of Thermal Neutron Decay

Quantitative Interpretation of Thermal Neutron Decay
Time Logs: Part II. Interpretation Example, Interpretation Accuracy, and Time-Lapse Technique,
JPT June, 756
Clegg, J. D.: Casing Failure Study — Cedar Creek Anticline, (Tech. Paper) JPT June, 676
Coats, K. H., et al: An Efficient Model for Evaluating
Gas Field Gathering System Design, (Tech. Paper) JPT Sept., 1067
Prediction of Polymer Flood Performance, SPEJ Mar.,
72

The Use of Vertical Equilibrium in Two-Dimensional

Simulation of Three-Dimensional Reservoir Per-formance, SPEJ March., 63

Cobb, W. M. and Ramey, H. J., Jr.: A General Pressure Buildup Theory for a Well in a Closed Drainage Area, JPT Dec., 1493

Area, JPT Dec., 1493

Cochran, R. A. and Scott, P. R.: The Growth of Oil Slicks and Their Control by Surface Chemical Agents, (Tech. Paper) JPT July, 781

Coffer, H. F. and Bray, B. G.: Can Petroleum Engineering Survive the Space Age?, (Art.) JPT Jan., 63

Cole, F. W., et al: Technology, Economics, Communication — Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122

Colegrove, G. T., et al: Prediction of Polymer Flood Performance, SPEJ Mar., 72

Combarnous, M. and Bia, P.: Combined Free and Forced Convection in Porous Media, SPEJ Dec., 399

Combs, G. D. and Knezek, R. B.: Gas Injection for Upstructure Drainage, (Tech. Paper) JPT Mar., 361

Cook, C. F., et al: A Theoretical and Laboratory Evaluation of Carbon Logging — Laboratory Evaluation,
(Tech. Paper) SPEJ June, 129; discussion, 137
Cornell, G. L.: Operational Problems with 8000-psig In-

jection Compressors, (Tech. Paper) JPT Apr., 424
Cox, J. B. and Underriner, C. F., Jr.: Electronic Computer

Production Management — A New Era, (Tech. Paper) JPT July, 793
Culham, W. E. and Varga, R. S.: Numerical Methods for Time-Dependent, Nonlinear Boundary Value Prob-lems, (Tech. Paper) SPEJ Dec., 374 Culter, J. D., et al: Drag Reduction with a Polymeric Addi-

tive in Crude Oil Pipelines, (Tech. Paper) SPEJ

Cunningham, W. C., et al: Cementing Materials for Cold Environments, (Tech. Paper) JPT Oct., 1215 Curtis, L. B.: The First Ten of the Next Hundred Years, (Art.) JPT Jan., 11

D

Dareing, D. W., et al: Effect of Rock Stress on Gas Produc-tion from Low-Permeability Reservoirs, JPT Sept.,

Dauben, D. L. and Froning, H.R.: Development and Evaluation of Micellar Solutions To Improve Water Injectivity, (Tech. Paper) JPT May, 614

Davidson, L. B.: Polywater and Reservoir Engineering, (Forum) JPT Oct., 1263

Day, J. J., et al: Radiotracers in Gas-Liquid Transportation Problems — A Field Case, (Tech. Paper) JPT

Day, J. J., et al.: Radiotracers in Gas-Liquid Transportation
Problems — A Field Case, (Tech. Paper) JPT
Aug., 939

Debanné, J. G.: A Model for Continental Oil Supply and
Distribution, (Tech. Paper) JPT Sept., 1089

Dempsey, J. R., et al.: An Efficient Model for Evaluating
Gas Field Gathering System Design, (Tech. Paper) JPT Sept., 1067

The Use of Vertical Equilibrium in Two-Dimensional
Simulation of Three-Dimensional Reservoir Performance, SPEJ Mar., 63

Doyle, R. E. and Wurl, T. M.: Stream Channel Concept
Applied to Waterflood Performance Calculations
for Multiwell, Multizone, Three-Component Cases,
(Tech. Paper) JPT Mar., 373

Dreher, K. D. and Sydansk, R. D.: On Determining the
Continuous Phase in Microemulsions, (Forum)
JPT Dec., 1437

Drouin, A. H. and Burley, J. D.: A Solution to Ground
Subsidence Problems in Casing Strings and Wellheads, (Tech. Paper) JPT June, 654

Durrer, E. J. and Slater, G. E.: Adjustment of Reservoir
Simulation Models to Match Field Performance,
SPEJ Sept., 295

SPEJ Sept., 295

Earlougher, R. C., Jr.: Estimating Drainage Shapes from Reservoir Limit Tests, JPT Oct., 1266 Eddy, H. D., et al: A Mathematical Analysis of Errors in

Directional Survey Calculations, (Tech. Paper)
JPT Nov., 1368
El-Saleh, M. M. and Farouq Ali, S. M.: Oil Recovery by
a Water-Driven Steam Slug, (Tech. Paper) SPEJ

a Water-Driven Steam Slug, (Tech. Paper) SPEJ Dec., 351

Emmett, W. R., et al: Little Buffalo Basin Tensleep Heterogeneity — Its Influence on Drilling and Secondary Recovery, (Tech. Paper) JPT Feb., 161

Enquist, B. R., et al: A Reservoir Study of the Friendswood Field, (Tech. Paper) JPT June, 685

Essis B, A. E. and Thomas, G. W.: The Use of Open Flow Potential Test Data in Determining Formation Capacity and Skin Factor, JPT July, 879

Estes, J. C.: Selection and Performance of Rotary Rock Bits, (Tech. Paper) JPT Nov., 1359

Evrenos, A. I., et al: Impermeation of Porous Media by Forming Hydrates In Situ, (Tech. Paper) JPT Sept., 1059

Sept., 1059

Fallin, S., et al: Defoaming Agents for Increased Oil Pro-duction Rates of Foamy Crudes—Laboratory Screening Tests and Field Results, (Tech. Paper) JPT Feb., 233

Farouq Ali, S. M. and Alikhan, A. A.: Oil Recovery by Hydrocarbon Slugs Driven by a Hot Water Bank, (Tech. Paper) SPEJ Dec., 342

Farouq Ali, S. M. and El-Saleh, M. M.: Oil Recovery by a Water-Driven Steam Slug, (Tech. Paper) SPEJ

Water-Driven Steam Slug, (Tech. Paper) SPEJ
Dec., 351

Felsenthal, M. and Ferrell, H. H.: Fracturing Gradients in
Waterfloods of Low-Permeability, Partially Depleted Zones, (Tech. Paper) JPT June, 727

Ferrell, H. H. and Felsenthal, M.: Fracturing Gradients in
Waterfloods of Low-Permeability, Partially Depleted Zones, (Tech. Paper) JPT June, 727

Fertl, W. H. and Timko, D. J.: Relationship Between Hydrocarbon Accumulation and Geopressure and
Its Economic Significance, (Tech. Paper) JPT
Aug., 923; discussion, 931

Fertl, W. H., et al: Comparison of Conventional Core Data,
Well Logging Analyses, and Sidewall Samples,
(Tech. Paper) JPT Dec., 1409

Fetkovich, M. J.: A Simplified Approach to Water Influx
Calculations—Finite Aquifer Systems, (Tech.
Paper) JPT July, 814

Field, M. B., et al: A Numerical Simulation of Kaybob
South Gas Cycling Projects, (Tech. Paper) JPT
Oct., 1253

Oct., 1253

Ford, W. T., et. al: Compositional Reservoir Simulator for Fissured Systems—The Single Block Model, (Tech. Paper) SPEJ June, 113

Fowler, W. A., Jr.: Discussion on Relationship between Hydrocarbon Accumulation and Geopressure and Its Economic Significance, (Tech. Paper) JPT

Its Economic Significance, (1ecti. Paper) 312.
Aug., 931
Froning, H R. and Dauben, D. L.: Development and Evaluation of Micellar Solutions To Improve Water Injectivity, (Tech. Paper) JPT May, 614
Fulton, P. F. and Wu, C. H.: Experimental Simulation of the Zones Preceding the Combustion Front of an In-Situ Combustion Process, SPEJ Mar., 38

Garaicochea, F.: Optimum Flow Conditions Through Tubing and Annular Spaces, (Forum) JPT Apr., 447
Garrett, J. E. and McNeill, W. E., Jr.: Predicting Optimum
Shut-In of Wells in Peripheral and Line Drive
Waterfloods, JPT Apr., 497
Garvin, T. and Slagle, K. A.: Scale-Model Displacement
Studies To Predict Flow Behavior During Cementing, (Tech. Paper) JPT Sept., 1081
Gates, C. F. and Sklar, I.: Combustion as a Primary Recovery Process — Midway Sunset Field, JPT Aug.,
981 981

Gidley, J. L.: Stimulation of Sandstone Formations with the Acid-Mutual Solvent Method, (Tech. Paper) JPT May, 551
Gidley, J., et al: Well Completions — A Look Forward, (Art.) JPT Jan., 128
Gleeson, C. W. and Langewis, C., Jr.: Practical Hydraulics of Positive Displacement Pumps for High-Pressure Waterflood Installations, (Tech. Paper) JPT Feb., 173

Goins, W. C., Jr.: Selected Items of Interest in Drilling Technology — An SPE Distinguished Lecture, (Art.) JPT July, 857

Good, L. W., et al: A Reservoir Study of the Friendswood Field, (Tech. Paper) JPT June, 685

Greaney, W. A. and Hartsock, J. H.: A Stochastic Inventory Model for Scheduling Development Drilling, (Tech. Paper) SPEJ Sept., 252

Gstalder, S. A., et al: Organization of Field Tests and Evaluation of Tricone Bit Performance Using Statistical Analysis and Sonic Logs, JPT Apr., 506

Guin, J. A. and Schechter, R. S.: Matrix Acidization with Highly Reactive Acids, SPEJ Dec., 390

Highly Reactive Acids, SPEJ Dec., 390

Hamby, T., et al: Well Completions — A Look Forward, (Art.) JPT Jan., 128
 Hammack, G. W., et al: Comparison of Conventional Core Data, Well Logging Analyses, and Sidewall Samples, (Tech. Paper) JPT Dec., 1409
 Hanks, R. W. and Valia, M. P.: A Theory of Transitional and Turbulent Flow of Non-Newtonian Slurries Between Flat Parallel Plates, SPEJ Mar., 52

Harris, M. H. and McCammon, R. B.: A Computer-Oriented Generalized Porosity-Lithology Interpretation of Neutron, Density and Sonic Logs, (Tech. Paper) JPT Feb., 239
Hartsock, J. H. and Greaney, W. A.: A Stochastic Inventory Model for Scheduling Development Drilling, (Tech. Paper) SPEJ Sept., 252
Harvey, R. P., et al: A Mathematical Analysis of Errors in Directional Survey Calculations, (Tech. Paper) JPT Nov., 1368
Haskin, C. A., et al: Chemical Method for Formation Plugging, (Tech. Paper) JPT May, 559
Headley, L. C., et al: Possible Use of Magnetic Fields in Determining Pore Geometry of Porous Media, (Tech. Paper) SPEJ Sept., 223
Hearn, C. L.: Simulation of Stratified Waterflooding by Pseudo Relative Permeability Curves, (Tech. Paper) JPT July, 805
Hearn, C. L., et al: Effect of Rock Stress on Gas Production from Low-Permeability Reservoirs, JPT Sept.,

from Low-Permeability Reservoirs, JPT Sept.,

Heathman, J., et al: Impermeation of Porous Media by Forming Hydrates In-Situ, (Tech. Paper) JPT Sept., 1059

Henderson, J. H., et al: The Use of Vertical Equilibrium in Two-Dimensional Simulation of Three-Dimensional Reservoir Performance, SPEJ Mar., 63

Herbeck, E. F. and Staggs, H. M.: Reservoir Simulation Models — An Engineering Overview, (Tech. Paper) JPT Dec., 1428

Hess, P. H., et al: Chemical Method for Formation Plugging, (Tech. Paper) JPT May, 559

Hinton, C., et al: Technology, Economics, Communication — Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122

Holm, L. W.: Use of Soluble Oils for Oil Recovery, JPT Dec., 1475

Holm, L. W. and O'Brien, L. J.: Carbon Dioxide Test at the Mead-Strawn Field, (Tech. Paper) JPT Apr., 431

at the Mead-Strawn Field, (Tech. Paper) JP1
Apr., 431
Horton, E. E. and Pauling, J. R.: Analysis of the Tension
Leg Platform, SPEJ Sept., 285
Hoyer, W. A.: Discussion on A Theoretical and Laboratory
Evaluation of Carbon Logging — Laboratory
Evaluation, (Tech. Paper) SPEJ June, 137
Hoyle, W. R., et al: Log Analysis in Formations with Complex Lithologies, JPT Aug., 995
Quantitative Interpretation of Thermal Neutron Decay
Time Logs: Part I. Fundamentals and Techniques,

Time Logs: Part I. Fundamentals and Techniques, JPT June, 743

Quantitative Interpretation of Thermal Neutron Decay Time Logs: Part II. Interpretation Example, In-terpretation Accuracy, and Time-Lapse Technique, JPT June, 756

Hudgins, C. M., Jr., et al: The Effect of Cathodic Protection on the Corrosion Fatigue Behavior of Carbon Steel in Synthetic Sea Water, (Tech. Paper) JPT

Mar., 283
Hull, T. R., et al.: Chemical Method for Formation Plugging, (Tech. Paper) JPT May, 559

Jeffords, C. M., et al: Developments in Testing from Float-ing Vessels, (Tech. Paper) JPT July, 788 Jennings, H. Y., Jr., and Newman, G. H.: The Effect of Temperature and Pressure on the Interfacial Ten-sion of Water Against Methane—Normal Decane Mixtures, SPEJ June, 171

Mixtures, SPEJ June, 171
Jennings, R. R., et al: Factors Influencing Mobility Control by Polymer Solutions, JPT Mar., 391
Johnson, F. S., et al: Oil Vaporization During Steamflooding, JPT June, 731
Jones, L. G. and Watts, J. W.: Estimating Skin Effect in a Partially Completed Damaged Well, JPT Feb., 249
Jorden, J. R.: Goals for Formation Evaluation, (Art.) JPT Jan., 55

Joyner, H. D. and Lovingfoss, W. J.: Use of a Computer Model in Matching History and Predicting Per-formance of Low Permeability Gas Wells, (Tech. Paper) JPT Dec., 1415

Kaliappan, C. S. and Rowe, A. M., Jr.: Calculation of Pressure-Temperature Phase Envelopes of Multi-

component Systems, (Tech. Paper) SPEJ Sept.,

243
Katz, D. L.: Depths to Which Frozen Gas Fields (Gas Hydrates) May Be Expected, (Tech. Paper) JPT Apr., 419

Kazemi, H. and Perkins, T. K.: A Mathematical Model of Thaw-Freeze Cycles Beneath Drilling Rigs and Production Platforms in Cold Regions, JPT Mar.,

Keaton, J. C.: Factors Controlling Gas Supply and Demand,

(Art.) JPT Jan., 41

Kelsey, F. J. and Simon, R.: The Use of Capillary Tube

Networks in Reservoir Performance Studies: 1.

Equal-Viscosity Miscible Displacements, (Tech.

Equal-Viscosity Miscible Displacements, (Tech. Paper) SPEJ June, 99
Khan, A. M.: An Empirical Approach to Waterflood Predictions, (Tech. Paper) JPT May, 565
Kipp, E.: The Evolution of Petroleum Engineering as Applied to Oilfield Operations, (Art.) JPT Jan., 107
Knezek, R. B. and Combs, G. D.: Gas Injection for Upstructure Drainage, (Tech. Paper) JPT Mar., 361

Knutson, C. F., et al: Sandstone Continuity in the Mesaverde Formation, Rulison Field Area, Colorado, (Tech. Paper) JPT Aug., 911

Komar, C. A., et al: Factors that Predict Fracture Orienta-

Komar, C. A., et al: Factors that Predict Fracture Orientation in a Gas Storage Reservoir, (Tech. Paper) JPT May, 546
Kraemer, M. S.: Producing Operations of the Future, (Art.) JPT Jan, 27
Krueger, R. F. and Maly, G. P.: Improper Formation Sampling Leads To Improper Selection of Gravel Size, (Tech. Paper) JPT Dec., 1403
Kyle, C. R. and Perrine, R. L.: Turbulent Dispersion in Porous Materials as Modeled by a Mixing Cell with Stagnant Zone, SPEJ Mar., 57

Lambert, W. G., et al: Factors that Predict Fracture Ori-entation in a Gas Storage Reservoir, (Tech. Pa-per) JPT May, 546 Land, C. S.: Comparison of Calculated with Experimental

per) JPT May, 546
Land, C. S.: Comparison of Calculated with Experimental Imbibition Relative Permeability, SPEJ Dec., 419
Lane, B. B.: Determining a Proper Flood Pattern from a Three-Well Pilot in a Channel Sand, (Tech. Paper) JPT Feb., 195
Langewis, C., Jr., and Gleeson, C. W.: Practical Hydraulics of Positive Displacement Pumps for High-Pressure Waterflood Installations, (Tech. Paper) JPT Feb., 173

Lantz, R. B.: Quantitative Evaluation of Numerical Diffusion (Truncation Error), SPEJ Sept., 315

Larminie, F. G.: The Arctic as an Industrial Environment
— Some Aspects of Petroleum Development in Northern Alaska, (Art.) JPT Jan. 19

Lawson, B. L., et al: A Theoretical and Laboratory Evaluation of Carbon Logging—Laboratory Evaluation, (Tech. Paper) SPEJ June, 129; discussion, 137

LeBlanc, J. L. and Caudle, B. H.: A Streamline Model for Secondary Recovery. (Tech. Paper) SPEJ Mar., 7

LeBlanc, J. L. and Caudle, B. H.: A Streamline Model for Secondary Recovery, (Tech. Paper) SPEJ Mar., 7
Lescarboura, J. A., et al: Drag Reduction with a Polymeric Additive in Crude Oil Pipelines, (Tech. Paper) SPEJ Sept., 229
Lovingfoss, W. J. and Joyner, H. D.: Use of a Computer Model in Matching History and Predicting Performance of Low Permeability Gas Wells, (Tech. Paper) JPT Dec., 1415
Lucas, A. F.: The Great Oil-Well Near Beaumont, Texas (Art.) JPT Nov., 1328
Lummus, J. L.: Acquisition and Analysis of Data for Optimized Drilling, (Tech. Paper) JPT Nov., 1285

Magara, K.: Permeability Considerations in Generation of Abnormal Pressures, (Tech. Paper) SPEJ Sept., 236

Maier, L. F., et al: Cementing Materials for Cold Environments, (Tech. Paper) JPT Oct., 1215

Maly, G. P. and Krueger, R. F.: Improper Formation Sampling Leads To Improper Selection of Gravel Size (Tech. Paper) JPT Dec., 1403

Marek, B. F.: Predicting Pore Compressibility of Reservoir Rocks, (Forum) SPEJ Dec., 340

Marsden, S. S., Jr., and Raghavan, R.: Theoretical Aspects of Emulsification in Porous Media, SPEJ June, 153

Marsden, S. S., Jr., et al: Effect of Temperature Level upon Capillary Pressure Curves, (Tech. Paper) SPEJ Mar., 13

Marshall, J.: Water, Wells, and Weather — The Offshore Challenge, (Art.) JPT Mar., 317

Martínez, J. J. and Pérez-Rosales, C.: Structural Characteristics of Granular Porous Media, (Tech. Paper) SPEJ Dec., 363

Mathias, J. P.: Successful Stimulation of a Thick, Low-Pressure Water-Sensitive Gas Reservair by Pseu-

Pressure, Water-Sensitive Gas Reservoir by Pseudolimited Entry, (Tech. Paper) JPT Feb., 185

Maxwell, E. L., et al: Sandstone Continuity in the Mesa-

Maxwell, E. L., et al: Sandstone Continuity in the Mesaverde Formation, Rulison Field Area, Colorado, (Tech. Paper) JPT Aug., 911
McCain, W. D., Jr., and Stacy, T. D.: A Method of Correlation of High-Temperature, High-Pressure GasSolid Adsorption Data, (Forum) SPEJ Mar., 4
McCaleb, J. A., et al: Little Buffalo Basin Tensleep Heterogeneity—Its Influence on Drilling and Secondary Recovery, (Tech. Paper) JPT Feb., 161
McCammon, R. B. and Harris, M. H.: A Computer Oriented Generalized Porosity-Lithology Interpretation of Neutron, Density and Sonic Logs, (Tech. Paper) JPT Feb., 239

Neutron, Density and Sonic Logs, (1ech. Paper)
JPT Feb., 239
McCreary, J. G.: A Simple Method for Controlling Gas
Percolation in Numerical Simulation of Solution
Gas Drive Reservoirs, SPEJ Mar., 85
McKinley, R. M.: Wellbore Transmissibility from Afterflow-Dominated Pressure Buildup Data, JPT July,
863

863

McLamore, R. T.: The Role of Rock Strength Anisotropy in Natural Hole Deviation, JPT Nov., 1313 McLeod, W. R., et al: Radiotracers in Gas-Liquid Transpor-tation Problems—A Field Case, (Tech. Paper)

Idition Problems—A Field Case, (1ech. Paper)
JPT Aug., 939

McNeill, W. E., Jr., and Garrett, J. E.: Predicting Optimum
Shut-In of Wells in Peripheral and Line Drive
Waterfloods, JPT Apr. 497

Merrick, R. J., et al: Adverse Influence of Stratification on
a Gas Cycling Project, (Tech. Paper) JPT Feb.,

191

Meunier, D., et al: Quantitative Interpretation of Thermal

Neutron Decay Time Logs: Part I. Fundamentals and Techniques, JPT June, 743
Quantitative Interpretation of Thermal Nuetron Decay Time Logs: Part II. Interpretation Example, Interpretation Texample, Interpretation terpretation Accuracy, and Time-Lapse Technique, JPT June, 756

The Production Combination Tool—A New System

for Production Monitoring, (Tech. Paper) JPT May, 603

Meyer, L. J. and van Everdingen, A. F.: Analysis of Buildup Curves Obtained After Well Treatment,

Buildup Curves Obtained After Well Treatment, JPT Apr., 513

Miller, T. W. and Cheatham, J. B., Jr.: Rock/Bit-Tooth Interaction for Conical Bit Teeth, SPEJ June, 162

Millheim, K., et al: Sandstone Continuity in the Mesaverde Formation, Rulison Field Area, Colorado, (Tech. Paper) JPT Aug., 911

Mortada, M., et al: Relationship Between Proved Reserves and Exploratory Effort, (Tech. Paper) JPT June, 671

671

Muckleroy, J. A. et al: Organization of Field Tests and Evaluation of Tricone Bit Performance Using Statistical Analysis and Sonic Logs, JPT Apr., 506
Muga, B. J.: Experimental and Theoretical Study of Motion of a Moored Barge, (Tech. Paper) SPEJ Sept., 206
Murphey, C. E., Jr., et al: A Magnetic Device to Detect Tension Failures in Oilfield Casing, (Tech Paper) JPT Aug., 905
Muscovalley, J. N., et al: Technology, Economics, Communication—Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122
Myers, G. M. and Sutko, A. A.: The Effect of Nozzle Size, Number, and Extension on the Pressure Distribution Under a Tricone Bit, (Tech. Paper) JPT Nov.,

tion Under a Tricone Bit, (Tech. Paper) JPT Nov.,

N

Nedom, H. A.: Planning the Energy Years, (Art.) JPT Jan., 13
Newman, G. H. and Jennings, H. Y., Jr.: The Effect of Temperature and Pressure on the Interfacial Tension of Water Against Methane-Normal Decane Mixtures, SPEJ June, 171

Nierode, D. E. and Williams, B. B.: Characteristics of Acid Reaction in Limestone Formations, SPEJ Dec., 406 Niko, H. and Troost, P. J. P. M.: Experimental Investiga-tion of Steam Soaking In a Depletion-Type Reservoir, JPT Aug., 1006

O'Brien, L. J. and Holm, L. W.: Carbon Dioxide Test at the Mead-Strawn Field, (Tech Paper) JPT Apr., 431
Odeh, A. S. and Al-Hussainy, R.: A Method for Determining the Static Pressure of a Well from Buildup Data, JPT May, 621
Overbey, W. K., Jr., et al: Factors that Predict Fracture Orientation In a Gas Storage Reservoir, (Tech. Paper) JPT May, 546
Owen, J. D., et al: A Theoretical and Laboratory Evaluation of Carbon Logging — Laboratory Evaluation, (Tech Paper) SPEJ June, 129; discussion, 137
Owens, W. W. and Archer, D. L.: The Effect of Rock Wettability on Oil-Water Relative Permeability Relationships, JPT July, 873

Padgett, J. B., et al: Compositional Reservoir Simulator for Fissured Systems—The Single-Block Model, (Tech. Paper) SPEJ June, 113 Parrish, D. R. and Satter, A.: A Two-Dimensional Analysis

of Reservoir Heating by Steam Injection, SPEJ

June, 185
Patterson, J. K., et al: A Numerical Simulation of Kaybob
South Gas Cycling Projects, (Tech. Paper) JPT Oct., 1253

An Efficient Model for Evaluating Gas Field Gathering
System Design, (Tech. Paper) JPT Sept., 1067
Patterson, M. M., et al: A Magnetic Device to Detect Tension Failures in Oilfield Casing, (Tech. Paper) JPT Aug., 905

Patton, C. C., et al: The Effect of Cathodic Protection on the Corrosion Fatigue Behavior of Carbon Steel in Synthetic Sea Water, (Tech. Paper) JPT Mar., 283

Patton, J. T., et al: Prediction of Polymer Flood Perform-

Patton, J. 1., et al. Prediction of Polymer Ploba Performance, SPEJ Mar., 72
Pauling, J. R. and Horton, E. E.: Analysis of the Tension Leg Platform, SPEJ Sept., 285
Pérez-Rosales, C. and Martínez, J. J.: Structural Character-

istics of Granular Porous Media, (Tech. Paper)
SPEJ Dec., 363
Perkins, T. K. and Kazemi, H.: A Mathematical Model of
Thaw-Freeze Cycles Beneath Drilling Rigs and
Production Platforms in Cold Regions, JPT Mar.,

Perkins, T. K. and Turner, J. B.: Starting Behavior of Gathering Lines and Pipelines Filled with Gelled Prudhoe Bay Oil, (Tech. Paper) JPT Mar., 301

Perrine, R. L.: Oil and Ecology — The Need for a New Outlook, (Forum) JPT May, 574

Perrine, R. L. and Kyle, C. R.: Turbulent Dispersion in Porous Materials as Modeled by a Mixing Cell with Stagnant Zone, SPEJ Mar., 57

Petrauskas, C. and Aagaard, P. M.: Extrapolation of Historical Storm Data for Estimating Design-Wave Heights, SPEJ Mar., 23

Petty, G. E., et al: Developments in Testing from Floating

Petty, G. E., et al: Developments in Testing from Floating Vessels, (Tech. Paper) JPT July, 788

Phansalker, R., et al: Well Completions — A Look Forward, (Art.) JPT Jan., 128

Pierce, C. I., et al: Possible Use of Magnetic Fields in Developments.

termining Pore Geometry of Porous Media, (Tech. Paper) SPEJ Sept., 223
Poupon, A., et al: Log Analysis in Formations With Complex Lithologies, JPT Aug., 995

Raghavan, R. and Marsden, S. S., Ir.: Theoretical Aspects of Emulsification in Porous Media, SPEJ June, 153
Ralstin, J., et al: Impermeation of Porous Media by Forming Hydrates In Situ, (Tech. Paper) JPT Sept.,

1059 Ramey, H. J., Jr.: Reservoir Engineering in the 70's and 80's, (Art.) JPT Jan., 33 Ramey, H. J., Jr., and Cobb, W. M.: A General Pressure
Buildup Theory for a Well in a Closed Drainage Area, JPT Dec., 1493
Ramey, H. J., Jr., et al: Effect of Temperature Level upon
Capillary Pressure Curves, (Tech. Paper) SPEJ
Mar., 13
Raynal L. C. et al. Organization of Field Texts of Field

Mar., 15
Raynal, J. C., et al: Organization of Field Tests and Evaluation of Tricone Bit Performance Using Statistical Analysis and Sonic Logs, JPT Apr., 506
Raza, S. H.: Water and Gas Cyclic Pulsing Method for Improved Oil Recovery, JPT Dec., 1467
Rhoades, V. W., et al: Effect of Rock Stress on Gas Production from Low-Permeability Reservoirs, JPT

Sept., 1161
Rhodes, D. F., et al: Radiotracers in Gas-Liquid Transportation Problems — A Field Case, (Tech. Paper) JPT Aug., 939

JPT Aug., 939
Richardson, J. G. and Blackwell, R. J.: Use of Simple Mathematical Models for Predicting Reservoir Behavior, JPT Sept., 1145
Rike, J. L.: Workover and Completion Technology — A Survey, (Tech. Paper) JPT Nov., 1375
Rivero, R. T.: Use of the Curvature Method to Determine True Vertical Reservoir Thickness, JPT Apr., 491
Roberts, S. C. and Westbrook, G. H.: FM Radio Splinter Frequency as Used in an Alarm-Status and Data-Gathering Supervisory System, (Tech. Paper) JPT Feb., 169

Robertson, R. W. and Caudle, B. H.: Permeability Continuity of Laminae in the Calvin Sandstone, (Tech. Paper) JPT June, 661

Rogers, J. H., et al: Factors Influencing Mobility Control by Polymer Solutions, JPT Mar., 391

Roof, J. G.: Solubility of Sulfur in Hydrogen Sulfide and in Carbon Disulfide at Elevated Temperature and Pressure. SPEI Sept., 272

Pressure, SPEJ Sept., 272
Rough, R. L., et al: Factors that Predict Fracture Orientation in a Gas Storage Reservoir, (Tech. Paper) JPT May, 546

M., Jr., and Kaliappan, C. S.: Calculation of Pressure-Temperature Phase Envelopes of Multi-component Systems, (Tech. Paper) SPEJ Sept.,

Rush, J. A., Jr., et al: Technology, Economics, Communica-tion—Keys to Drilling Success in Coming Dec-ades, (Art.) JPT Jan., 122

Sagot, A. M., et al: Organization of Field Tests and Evalua-

Sagot, A. M., et al: Organization of Field Tests and Evaluation of Tricone Bit Performance Using Statistical Analysis and Sonic Logs, JPT Apr., 506
Sampson, N. N., et al: Use of External Casing Packers for Zonal Segregation in the Wilmington Oil Field, (Tech. Paper) JPT Sept., 1101
Sampson, T. J. and Young, F. S., Jr.: An Analysis of Automatic Closed-Loop Control of Rotary Drive Engines, (Tech. Paper) JPT Nov., 1305
Satter, A. and Parrish, D. R.: A Two-Dimensional Analysis of Reservoir Heating by Steam Injection, SPEJ June, 185

of Reservoir Heating by Steam Injection, SPEJ June, 185
Sawyer, W. K., et al: Possible Use of Magnetic Fields in Determining Pore Geometry of Porous Media, (Tech. Paper) SPEJ Sept., 223
Schechter, R. S. and Guin, J. A.: Matrix Acidization with Highly Reactive Acids, SPEJ Dec., 390
Schmidt, A. W., et al: Log Analysis in Formations with Complex Lithologies, JPT Aug., 995
Schneider, W. C. and Cheatham, J. B., Jr.: Indentation Analysis for General Shapes of Surface Boundaries and Punch Profiles, SPEJ Sept., 321
Schroeder, R. L., et al: The Effect of Cathodic Protection on the Corrosion Fatigue Behavior of Carbon Steel In Synthetic Sea Water, (Tech. Paper) JPT Mat., 283

Steel In Synthetic Sea Water, (Tech. Paper) JPT Mar., 283
Schwalm, H. E.: Economics of Underground Gas Storage, (Tech. Paper) JPT Oct., 1221
Scott, P. R. and Cochran, R. A.: The Growth of Oil Slicks and Their Control By Surface Chemical Agents, (Tech. Paper) JPT July, 781
Shamir, U.: Optimal Route for Pipelines in Two-Phase Flow, (Tech. Paper) SPEJ Sept., 215
Sharp. S. P., et al: Defoaming Agents for Increased Oil

Sharp, S. P., et al: Defoaming Agents for Increased Oil
Production Rates of Foamy Crudes — Laboratory
Screening Tests and Field Results, (Tech. Paper)
JPT Feb., 233

Sharp, W., et al: Technology, Economics, Communication— Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122 Sheffield, B. C., et al: A Magnetic Device to Detect Tension Failures in Oilfield Casing, (Tech. Paper) JPT

Shell, F. J. and Borst, R. L.: The Effect of Thinners on the Fabric Of Clay Muds and Gels, (Tech. Paper) JPT Oct., 1193

Shum, Y. M.: Use of the Finite-Element Method in the Solution of Diffusion-Convection Equations, (Tech. Paper) SPEJ June, 139
Simon, R. and Kelsey, F. J.: The Use of Capillary Tube Networks in Reservoir Performance Studies: I. Equal-Viscosity Miscible Displacements, (Tech. Paper) SPEJ June, 99
Simpson, J. P.: Drilling Fluids — Today and Tomorrow, (Tech. Paper) JPT Nov., 1294
Sinclair, A. R.: Heat Transfer Effects in Deep Well Fracturing, JPT Dec., 1484
Sinnokrot, A. A., et al: Effect of Temperature Level upon Capillary Pressure Curves, (Tech. Paper) SPEJ

Capillary Pressure Curves, (Tech. Paper) SPEJ Mar., 13 Sklar, I. and Gates, C. F.: Combustion as a Primary Re-

covery Process - Midway Sunset Field, JPT Aug., 981

Slagle, K. A. and Garvin, T.: Scale-Model Displacement Studies To Predict Flow Behavior During Cementing, (Tech. Paper) JPT Sept., 1081
 Slater, G. E. and Durrer, E. J.: Adjustment of Reservoir Simulation Models To Match Field Performance, 2007.

SPEJ Sept., 295
Slider, H. C.: A Simplified Method of Pressure Buildup Analysis for a Stabilized Well, JPT Sept., 1155
Smith, A. E., et al: Relationship Between Proved Reserves and Exploratory Effort, (Tech. Paper) JPT June,

Smith, R. V.: The Future of Natural Gas Production Technology, (Art.) JPT Jan., 45
Snavely, E. S., Jr.: Chemical Removal of Oxygen from Natural Waters, (Tech. Paper) JPT Apr., 443
Sprinkle, T. L., et al: Adverse Influence of Stratification on a Gas Cycling Project, (Tech. Paper) JPT Feb., 191

Stacy, T. D. and McCain, W. D., Jr.: A Method of Cor-relation of High-Temperature, High-Pressure Gas-

Staggs, H. M. and Herbeck, E. F.: Reservoir Simulation

Models — An Engineering Overview, (Tech. Paper) JPT Dec., 1428

per) JPT Dec., 1428

Standing, M. B.: Concerning the Calculation of Inflow Performance of Wells Producing from Solution Gas Reservoirs, (Forum) JPT Sept., 1141

Stanier, H., et al: Well Completions — A Look Forward, (Art.) JPT Jan., 128

Startzman, R. A.: A Further Note on Pulse-Test Interpretation, (Forum) JPT Sept., 1143

Staub, H. L., et al: Use of External Casing Packers for Zonal Segregation in the Wilmington Oil Field, (Tech. Paper) JPT Sept., 1101

Stevens, T. G.: Current Developments in Petroleum Finance

(Tech. Paper) JPT Sept., 1101
 Stevens, T. G.: Current Developments in Petroleum Financing, (Forum) JPT Feb., 202
 Stewart, F. M.: Oil Drilling Programs, Stimulant to Oil Development, (Tech. Paper) JPT May, 539
 Stokes, W. P.: North Slope — Construction Criteria for Roads and Facilities, (Tech. Paper) JPT Oct., 1209
 Stoner, M. A., et al: Network System Transient Calculations by Implicit Method, (Tech. Paper) SPEJ Dec., 356
 Stout, C. M. et al: Well Completions — 4 Look Forward

Stout, C. M., et al: Well Completions - A Look Forward, (Art.) JPT Jan., 128

Streeter, V. L., et al: Network System Transient Calculations by Implicit Method, (Tech. Paper) SPEJ Dec., 356

Sutko, A. A. and Myers, G. M.: The Effect of Nozzle Size, Number, and Extension on the Pressure Distribu-tion Under a Tricone Bit, (Tech. Paper) JPT Nov., 1299

Sydansk, R. D. and Dreher, K. D.: On Determining the Continuous Phase in Microemulsions, (Forum) JPT Dec., 1437

Teeuw, D.: Prediction of Formation Compaction from Laboratory Compressibility Data, SPEJ Sept., 263

Thomas, G. W. and Essis B., A. E.: The Use of Open Flow Potential Test Data in Determining Formation Capacity and Skin Factor, JPT July, 879

Thompson, J. L., et al: Technology, Economics, Communication — Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122

Timko, D. J. and Fertl, W. H.: Relationship Between Hydrocarbon Accumulations and Geopressure and Its Economic Significance, (Tech. Paper) JPT Aug., 923: discussion. 931 923; discussion, 931

Timmerman, E. H.: Simulation of Gas Well Performance
Using Tabular-Graphical Techniques, (Tech. Pa-

Using Tabular-Graphical Techniques, (1ech. Paper) JPT Oct., 1202

Tixier, M. P., et al: The Production Combination Tool—
A New System for Production Monitoring, (Tech. Paper) JPT May, 603

Torrey, P. D.: The Early Development of Knowledge
About Connate Water, (Forum) JPT Oct., 1264

Troost, P. J. P. M. and Niko, H.: Experimental Investigation of Scape Society in a Development of Production Type Section 1987. tion of Steam Soaking in a Depletion-Type Reser-

voir, JPT Aug., 1006

Turner, J. B. and Perkins, T. K.: Starting Behavior of Gathering Lines and Pipelines Filled with Gelled Prudhoe Bay Oil, (Tech. Paper) JPT Mar., 301

U

Underringer, C. F., Jr., and Cox, J. B.: Electronic Computer

Production Management — A New Era, (Tech.
Paper) JPT July, 793

Vairogs, J., et al: Effect of Rock Stress on Gas Production From Low-Permeability Reservoirs, JPT Sept., 1161

Valia, M. P. and Hanks, R. W.: A Theory of Transitional and Turbulent Flow of Non-Newtonian Slurries Between Flat Parallel Plates, SPEJ Mar., 52 van Everdingen, A. F. and Meyer, L. J.: Analysis of Build-up Curves Obtained After Well Treatment, JPT

Varga, R. S. and Culham, W. E.: Numerical Methods for Time-Dependent, Nonlinear Boundary Value Problems, (Tech. Paper) SPEJ Dec., 374

Wahl, H. A., et al: Drag Reduction with a Polymeric Ad ditive in Crude Oil Pipelines, (Tech. Paper) SPEJ Sept., 229

Walker, C. J., et al: Oil Vaporization During Steamflood-

Walker, C. J., et al: Oil Vaporization During Steamflooding, JPT June, 731
Waller, R. L.: The Northwest Avard Pressure Maintenance Project, (Tech. Paper) JPT Sept., 1074
Waller, R. L., et al: Technology, Economics, Communication — Keys to Drilling Success in Coming Decades, (Art.) JPT Jan., 122
Walstrom, J. E., et al: A Mathematical Analysis of Errors in Directional Survey Calculations, (Tech. Paper) IPT Nov. 1368

JPT Nov., 1368

Walton, E. C., Jr., et al: A Reservoir Study of the Friendswood Field, (Tech. Paper) JPT June, 685
Watts, J. W.: An Iterative Matrix Solution Method Suitable for Anisotropic Problems, SPEJ Mar., 47
Watts, J. W. and Jones, L. G.: Estimating Skin Effect in a Partially Completed Damaged Well, JPT Feb., 249
West, T. J., et al: Factors Influencing Mobility Control By Polymer Solutions, JPT Mar., 391
Westbrook, G. H. and Roberts, S. C.: FM Radio Splinter Frequency as Used in an Alarm-Status and Data-Gathering Supervisory System, (Tech. Paper) JPT Feb., 169

Wheeler, R., et al: Technology, Economics, Communication

— Keys to Drilling Success in Coming Decades,
(Art.) JPT Jan., 122

Whiteley, M. E. and Williams, B. B.: Hydrofluoric Acid Reaction with a Porous Sandstone, SPEJ Sept.,

Whorton, L. P.: Petroleum Engineering Research - Evolu-

Williams, B. B. and Whiteley, M. E.: Hydrofluoric Acid
Williams, B. B. and Whiteley, M. E.: Hydrofluoric Acid Reaction with a Porous Sandstone, SPEJ Sept.,

Wise, R. A.: A Review of Health and Safety of Deep Divers, (Tech. Paper) JPT Mar., 294
Woertz, B. B.: Selective Solvent for Purifying Natural Gas, JPT Apr., 483
Vapor-Liquid Equilibrium Ratios (K-Values) of Light

Hydrocarbons at Reservoir Conditions, SPEJ June, 176

Wolfe, J. F., et al: Defoaming Agents for Increased Oil Production Rates of Foamy Crudes — Laboratory Screening Tests and Field Results, (Tech. Paper) JPT Feb., 233
Wray, G. Q., et al: Developments in Testing from Floating Vessels, (Tech. Paper) JPT July, 788
Wright, A. C., et al: Use of External Casing Packers for Zonal Segregation in the Wilmington Oil Field, (Tech. Paper) JPT Sept., 1101
Wu, C. H. and Fulton, P. F.: Experimental Simulation of the Zones Preceding the Combustion Front of an In-Situ Combustion Process, SPEJ Mar., 38
Wurl, T. M. and Doyle, R. E.: Stream Channel Concept Applied to Waterflood Performance Calculations For Multiwell, Multizone, Three-Component Cases, (Tech. Paper) JPT Mar., 373
Wylie, E. B., et al: Network System Transient Calculations by Implicit Method, (Tech. Paper) SPEJ Dec.,

by Implicit Method, (Tech. Paper) SPEJ Dec., 356

Wytrychowski, I. M., et al: A Numerical Simulation of Kaybob South Gas Cycling Projects, (Tech. Paper) JPT Oct., 1253

Y

Yamamoto, R. H., et al: Compositional Reservoir Simulator for Fissured Systems—The Single Block Model, (Tech. Paper) SPEJ June, 113 Yoelin, S. D.: The TM Sand Steam Stimulation Project,

JPT Aug., 987

Young, F. S., Jr., and Sampson, T. J.: An Analysis of Automatic Closed-Loop Control of Rotary Drive Engines, (Tech. Paper) JPT Nov., 1305

Subject Index

Acetic acid: reaction characteristics in limestone formations, SPEJ Dec., 406

Acidizing: acid-mutual solvent method: stimulation of sandstone formations, (Tech. Paper) JPT May, 551

buildup curve analysis after well treatment, JPT Apr., 513

matrix: with highly reactive acids, SPEJ Dec., 390 sandstone: hydrofluoric acid reaction, SPEJ Sept., 306 Acids: highly reactive: matrix acidization with, SPEJ Dec., Acoustic velocity logging: use in organization of field tests

Acoustic velocity logging: use in organization of field tests and evaluation of tricone bit performance, JPT Apr., 506

Acquisition: data: for optimized drilling, (Tech. Paper) JPT Nov., 1285

Additives: mobility control: polymer flood performance predictions, SPEJ Mar., 72

polymeric: used to reduce drag in crude oil pipelines, (Tech. Paper) SPEJ Sept., 229

stimulation of sandstone formations: acid-mutual solvent method, (Tech. Paper) JPT May, 551

Adsorption: gas-solid: method of correlation of high-temperature, high-pressure data, (Forum) SPEJ Mar., 4

Alaska: cementing materials for cold environments, (Tech. Paper) JPT Oct., 1215
model for continental oil supply and distribution, (Tech. Paper) JPT Sept., 1089

North Slope: competitive bidding in high-risk situations, (Tech. Paper) JPT June, 641 mathematical model of thaw-freeze cycles beneath

drilling rigs and production platforms, JPT Mar.,

Prudhoe Bay field: construction criteria for roads and facilities, (Tech. Paper) JPT Oct., 1209 some aspects of petroleum development, (Art.) JPT Jan., 19
Prudhoe Bay oil: starting behavior of gathering lines and pipelines filled with, (Tech. Paper) JPT Mar.,

301

Anadarko Basin: oil men: discuss keys to drilling success in coming decades, (Art.) JPT Jan., 122

Anisotropy: iterative matrix solution method suitable for anisotropic problems, SPEJ Mar., 47
rock strength: role in natural hole deviation, JPT
Nov., 1313

Annulus: optimum flow conditions through, (Forum) JPT

Annulus: Opimum now conditions through, (Techni) 32.

Apr., 447

Aquifers: finite systems: simplified approach to water influx calculations, (Tech. Paper) JPT July, 814

permeable: physics of fine-particle movement through, (Tech. Paper) SPEJ Dec., 367

Arctic: cementing materials for cold environments, (Tech. Paper) JPT Oct., 1215

deaths to which frozen gas fields may be expected. (Tech.

Paper) JPT Oct., 1215
depths to which frozen gas fields may be expected, (Tech. Paper) JPT Apr., 419
industrial environment: some aspects of petroleum development in Northern Alaska, (Art.) JPT Jan., 19
North Slope, Alaska: construction criteria for roads and facilities, (Tech. Paper) JPT Oct., 1209
Automation: closed-loop control: rotary drive engines, (Tech. Paper) JPT Nov., 1305
petroleum development in Northern Alaska, (Art.) JPT Jan., 19

Jan., 19

production operations: electronic computer; a new era, (Tech. Paper) JPT July, 793 of the future, (Art.) JPT Jan., 27

Bidding: competitive: in high-risk situations, (Tech. Paper)
JPT June, 641
Bits: design: role of rock strength anisotropy, JPT
Nov., 1313 drilling: statistical evaluation of field performance, JPT
Apr., 506
rotary rock: selection and performance, (Tech. Paper)
JPT Nov., 1359

rock-tooth interaction for conical bit teeth, SPEJ June, 162 tricone: effect of nozzle size, number, and extension on pressure distribution under bit, (Tech. Paper) JPT Nov., 1299

Nov., 1299
Blanco Mesaverde field: See New Mexico
Blowouts: selected items of interest in drilling technology: SPE distinguished lecture, (Art.) JPT July, 857
Boreholes: stability: drilling fluid problem, (Tech. Paper) JPT Nov., 1294
Bottom-hole pressure: distribution under tricone bit: effect of nozzle size, number and extension, (Tech. Paper) JPT Nov., 1299
Boundary conditions: general shapes of surfaces and punch profiles, SPEJ Sept., 321
time-dependent, nonlinear problems: numerical methods for, (Tech. Paper) SPEJ Dec., 374
Buildup curves: See Pressure buildup

California: field tests: chemical method for formation plugging, (Tech. Paper) JPT May, 559

Huntington Beach offshore field: TM sand steam stimulation project, JPT Aug., 987

Midway Sunset field: combustion as a primary recovery

Midway Sunset field: combustion as a primary recovery process, JPT Aug., 981
polymer flood: prediction of performance, SPEJ Mar., 72
waterflood predictions: empirical approach, (Tech. Paper)
JPT May, 565
Wilmington field: use of external casing packers for zonal segregation, (Tech. Paper) JPT Sept., 1101

Calvin sandstone: See Oklahoma

Canada: cementing materials for cold environments (Tech. Paper) JPT Oct., 1215

Kaybob South field: numerical simulation of gas cycling projects, (Tech. Paper) JPT Oct., 1253 model for continental oil supply and distribution, (Tech. Paper) JPT Sept., 1089

Capacity: formation: use of open flow potential test data in determining, JPT July, 879

Capillary flow: use of tube networks in reservoir performance extensions.

ance studies: equal-viscosity miscible displacements, (Tech. Paper) SPEJ June, 99

Capillary pressure: curves: effect of temperature level upon, (Tech. Paper) SPEJ Mar., 13

use of vertical equilibrium in two-dimensional simulation of three-dimensional reservoir performance, SPEJ Mar., 63

Carbon dioxide: successful stimulation of a thick, low-pressure, water-sensitive gas reservoir by pseudo-limited entry, (Tech. Paper) JPT Feb., 185
test at Mead-Strawn field, (Tech. Paper) JPT Apr., 431

test at Mead-Strawn held, (Tech. Paper) JPT Apr., 431
Carbon disulfide: sulfur solubility: elevated temperature and pressure, SPEJ Sept., 272
Carbon logging: theoretical and laboratory evaluation, (Tech. Paper) SPEJ June, 129; discussion, 137
Case histories: See Field case history
Cased hole: thermal neutron decay time logs: quantitative interpretation, JPT June, 743 and 756

asing: cold environments: cementing materials, (Tech. Paper) JPT Oct., 1215

external packers: use for zonal segregation in the Wilmington oil field, (Tech. Paper) JPT Sept., 1101

failure: magnetic device to detect, (Tech. Paper) JPT

Aug., 905 study of Cedar Creek anticline, (Tech. Paper) JPT June, 676

problems caused by ground subsidence: equipment and methods for correcting, (Tech. Paper) JPT June, 654

Cathodic protection: effect on corrosion fatigue behavior of carbon steel in synthetic sea water, (Tech. Paper) JPT Mar., 283
Cedar Creek anticline: See Montana and North Dakota

May, 559

surface agent: control of oil slick growth, (Tech. Paper) JPT July, 781 Cheniere Cadeville unit: See Louisiana

Clay: muds: effect of thinners on fabric, (Tech. Paper)

JPT Oct., 1193

Collisons: at sea: effect of admiralty law, (Tech. Paper)

JPT Mar., 276

Colorado: comparison of conventional core data, well log-

ging analyses and sidewall samples, (Tech. Paper)
JPT Dec., 1409

Communications: a key to drilling success in coming decades, (Art.) JPT Jan., 122

Compaction: abnormal pressures: permeability considerations in generation of, (Tech. Paper) SPEJ Sept., 236

formation: prediction from laboratory compressibility
data, SPEJ Sept., 263

Competition: bidding in high-risk situations, (Tech. Paper)
JPT June, 641

Compressibility: laboratory data: prediction of formation
compaction from, SPEJ Sept., 263
pore: predicting for reservoir rocks, (Forum) SPEJ
Dec., 340

Compression: studies: model for evaluating gas field gather-

Dec., 340

Compression: studies: model for evaluating gas field gathering system design, (Tech. Paper) JPT Sept., 1067

Compressors: injection: operational problems with 8000-psig type, (Tech. Paper) JPT Apr., 424

Computer: analysis: relationship between proved reserves and exploratory effort, (Tech. Paper) JPT June, 671

CDC 6600: use in compositional reservoir simulator for fissured systems, (Tech. Paper) SPEJ June, 113

digital: iterative matrix solution method suitable for anisotropic problems, SPEJ Mar., 47

used with streamline model for secondary recovery, (Tech. Paper) SPEJ Mar., 7

electronic: production management — a new era, (Tech.

(Tech. Paper) SPEJ Mar., 7
electronic: production management — a new era, (Tech. Paper) JPT July 793

IBM 360/50: pulse-test interpretation, (Forum) JPT Sept., 1143

IBM 360/67: calculation of network system transient by implicit method, (Tech. Paper) SPEJ Dec., 356 model: predicting optimum shut-in of wells in peripheral and line drive waterfloods, JPT Apr., 497
use in matching history and predicting performance of

use in matching history and predicting performance of low permeability gas wells, (Tech. Paper) JPT Dec., 1415

programming: numerical simulation of solution gas drive reservoirs; method for controlling gas percolation, SPEJ Mar., 85
programs: CORIBAND for analysis of complex lithologies, JPT Aug., 995
generalized porosity-lithology interpretation of neutron, design and sonic loss (Tech. Paper) JPT Feb.

density and sonic logs, (Tech. Paper) JPT Feb.,

optimal route for pipelines in two-phase flow, (Tech. Paper) SPEJ Sept., 215

Paper) SPEJ Sept., 215
processing thermal neutron decay time logs; quantitative interpretation, JPT June, 756
solution time: for time-dependent, nonlinear boundary value problems, (Tech. Paper) SPEJ Dec., 374
Univac 1108: model for North American oil supply and distribution, (Tech. Paper) JPT Sept., 1089
stream channel concept applied to waterflood performance calculations for multiwell, multizone, three-component cases, (Tech. Paper) JPT Mar., 373
use in reservoir engineering in the 70's and 80's, (Art.)
JPT Jan., 33

Condensates: gas cycling: adverse influence of stratification, (Tech. Paper) JPT Feb., 191 Conduits: See Tubing

Connate water: See Interstitial water

Construction: criteria: roads and facilities for North Slope, Alaska, (Tech. Paper) JPT Oct., 1209

Continuity equation: solving multidimensional miscible displacement equations, SPEJ Sept., 277

Controls: automatic closed-loop: analysis; rotary drive engines, (Tech. Paper) JPT Nov., 1305
growth of oil slicks: surface chemical agents, (Tech. Paper) JPT July, 781

mobility: by polymer solutions; factors influencing, JPT
Mar., 391
water pollution: government views, (Forum) JPT July, 829

Convection: combined free and forced: within porous media, SPEJ Dec., 399

diffusion equation: quantitative evaluation of truncation error, SPEJ Sept., 315
use of finite-element method in the solution, (Tech. Paper) SPEJ June, 139

Convergence pressure: light hydrocarbons at reservoir con-

ditions: vapor-liquid equilibrium ratios, SPEJ June,

multicomponent systems: calculation of pressure-tempera-ture systems, (Tech. Paper) SPEJ Sept., 243 Core analysis: formation evaluation goals, (Art.) JPT Jan., 55

Mead-Strawn field: carbon dioxide pilot test, (Tech. Paper) JPT Apr., 431 reservoir engineering in the 70's and 80's, (Art.) JPT

Jan., 33
stratification: adverse influence on a gas cycling project,
(Tech. Paper) JPT Feb., 191

Cores: conventional and sidewall samples: comparison with well logging analyses, (Tech. Paper) JPT Dec., 1409

Coring: improper formation sampling: leads to improper selection of gravel size, (Tech. Paper) JPT Dec.,

natural gas wells, future of technology, (Art.) JPT Jan., 47 Correlations: data from conventional core data, well logging analyses and sidewall samples, (Tech. Paper) JPT Dec., 1409 empirical: waterflood predictions, (Tech. Paper) JPT

empirical: waterflood predictions, (Tech. Paper) JPT
May, 565
method of: high-temperature, high-pressure gas-solid adsorption data, (Forum) SPEJ Mar., 4
porosity-permeability changes: matrix acidization with
highly reactive acids, SPEJ Dec., 390
pressure: invaluable tool in monitoring Means San Andres waterflood, (Tech. Paper) JPT Dec., 1421
vapor-liquid equilibrium ratios: light hydrocarbons at
reservoir conditions, SPEJ June, 176
Corrosion: fatigue behavior: effect of cathodic protection
of carbon steel in synthetic sea water, (Tech.
Paper) JPT Mar., 283
production operations of the future, (Art.) JPT Jan., 27
Costs: development drilling: stochastic inventory model for
scheduling, (Tech. Paper) SPEJ Sept., 252
energy: for next 20 years, (Art.) JPT Jan., 13
optimizing for drilling: acquisition and analysis of data,

optimizing for drilling: acquisition and analysis of data,
(Tech. Paper) JPT Nov., 1285
pipelines: optimal route; two-phase flow, (Tech. Paper)
SPEJ Sept., 215

SPEJ Sept., 215

pricing: model for North American oil supply and distribution, (Tech. Paper) JPT Sept., 1089

zonal segregation: use of external casing packers in the Wilmington oil field, (Tech. Paper) JPT Sept., 1101

Crude oils: drag reduction with a polymeric additive in pipelines, (Tech. Paper) SPEJ Sept., 229

foamy: defoaming agents for increased oil production rates; laboratory screening tests and field results, (Tech. Paper) JPT Feb., 233

gelled Prudhoe Bay: starting behavior of gathering lines and pipelines filled with, (Tech. Paper) JPT Mar., 301

Mar., 301

Curvature method: for determining true vertical reservoir thickness. JPT Apr., 491

Custody transfer: See LACT

Cycling: See Gas cyling

Data: acquisition and analysis: for optimizing drilling,
(Tech. Paper) JPT Nov., 1285
error: mathematical analysis for directional survey calculations, (Tech. Paper) JPT Nov., 1368
gathering system: FM radio splinter frequency as used in an alarm status, (Tech. Paper) JPT Feb., 169
input: critical for reservoir simulation models. (Tech.

input: critical for reservoir simulation models, (Tech. Paper) JPT Dec., 1428
storm: extrapolation of historical information for estimating design-wave heights, SPEJ Mar., 23

Density logging: porosity-lithology interpretation: computer-oriented generalized program, (Tech. Paper) JPT Feb., 239

Feb., 239

Depletion: reservoir: experimental investigation of steam soaking, JPT Aug., 1006

Design: bits: selection and performance of rotary rock types, (Tech. Paper) JPT Nov., 1359

estimating wave heights: extrapolation of historical storm data, SPEJ Mar., 23

gas field gathering system: efficient model for evaluating, (Tech. Paper) JPT Sept., 1067

pumps: positive displacement; practical hydraulics for high-pressure waterflood installations, (Tech. Paper) JPT Feb.. 173

high-pressure waterflood installations, (Tech. Paper) JPT Feb., 173
roads and facilities: construction criteria for North Slope,
Alaska, (Tech. Paper) JPT Oct., 1209
Developments: additional needs: workover and completion
technology, (Tech. Paper) JPT Nov., 1375
bits: selection and performance of rotary rock types,
(Tech. Paper) JPT Nov., 1359
drilling: stochastic inventory model for scheduling, (Tech.
Paper) SPEJ Sept., 252
early: knowledge of connate water, (Forum) JPT
Oct., 1264
micellar solutions to improve water injectivity, (Tech.
Paper) JPT May, 614

offshore: admiralty law and its effect, (Tech. Paper) JPT Mar., 276

oil: drilling programs are stimulant, (Tech. Paper) JPT May, 539

oil: drilling programs are stimulant, (Tech. Paper) JPT May, 539
petroleum: financing, (Forum) JPT Feb., 202
some aspects in Northern Alaska, (Art.) JPT Jan., 19
testing from floating vessels, (Tech. Paper) JPT July, 788
Diffusion: convection equation: use of finite-element method in the solution, (Tech. Paper) SPEJ June, 139
numerical: quantitative evaluation of truncation error, SPEJ Sept., 315
Directional surveys: calculations: mathematical analysis of errors, (Tech. Paper) JPT Nov., 1368
interpretation: use of curvature method to determine true vertical reservoir thickness, JPT Apr., 491
Dispersion: physical: improved numerical technique for solving multidimensional miscible displacement equations, SPEJ Sept., 277
turbulent: modeled in porous materials by a mixing cell with stagnant zone, SPEJ Mar., 57
Displacement efficiency: gas: injection for upstructure drainage, (Tech. Paper) JPT Mar., 361
Displacement mechanism: See also types of displacement scale model to predict flow behavior during cementing, (Tech. Paper) JPT Sept., 1081

(Tech. Paper) JPT Sept., 1081 soluble oils: use for oil recovery, JPT Dec., 1475

Soluble oils: use for oil recovery, JPT Dec., 14/5
Dissolved-gas drive: See Solution-gas drive
Distillation: steam: oil vaporization, JPT June, 731
Distinguished lecture: drilling technology: selected items of interest, (Art.) JPT July, 857
Distribution: gas: economics of underground storage, (Tech. Paper) JPT Oct., 1221
oil: model for North American, (Tech. Paper) JPT

Sept., 1089

Dragon Trail unit: See Colorado

Drag reduction: crude oil pipelines; with a polymeric additive, (Tech. Paper) SPEJ Sept., 229

Drainage: area: closed; general pressure buildup theory for a well, JPT Dec., 1493

capillary pressure curves: effect of temperature level, (Tech. Paper) SPEJ Mar., 13
roads and facilities: construction criteria for North Slope,

Alaska, (Tech. Paper) JPT Oct., 1209 s: estimating from reservoir limit tests, JPT shapes:

Oct., 1266
upstructure: gas injection for, (Tech. Paper) JPT Mar., 361

Drill bit: See Bits and Drilling: bits Drilling: See also Offshore drilling

bits: conical teeth; rock/bit-tooth interaction, SPEJ

June, 162

statistical analysis and sonic log application in evaluating field performance, JPT Apr., 506
influence of Little Buffalo Basin Tensleep heterogeneity,
(Tech. Paper) JPT Feb., 161
natural hole deviation: role of rock strength anisotropy,

127 Nov. 1313

JPT Nov., 1313 offshore challenge: water, wells and weather, (Art.) JPT Mar., 317

Mar., 317
optimization: acquisition and analysis of data, (Tech. Paper) JPT Nov., 1285
programs: stimulant to oil development, (Tech. Paper) JPT May, 539
rock indentation analysis: general shapes of surface boundaries and punch profiles, SPEJ Sept., 321
rotary drive engines: analysis of automatic closed-loop control, (Tech. Paper) JPT Nov., 1305
selected items of interest in technology: SPE distinguished lecture, (Art.) JPT July, 857
stochastic inventory model for scheduling development, (Tech. Paper) SPEJ Sept., 252
technology, economics, communications: keys to success

technology, economics, communications: keys to success in coming decades, (Art.) JPT Jan., 122 tricone bit: effect of nozzle size, number and extension on pressure distribution, (Tech. Paper) JPT Nov., 1299

Nov., 1299
Drilling fluids: scale-model displacement studies: predict flow behavior during cementing, (Tech. Paper) JPT Sept., 1081
thinners: effect on fabric of muds and gels, (Tech. Paper) JPT Oct., 1193
today and tomorrow, (Tech. Paper) JPT Nov., 1294
Drilling rigs: as vessel in admiralty law, (Tech. Paper) JPT Mar., 276
mathematical model: thaw-freeze cycles beneath rigs in cold regions, JPT Mar., 381

Dual mineral method: neutron- and density-log analysis in formations with complex lithologies, JPT Aug.,

E

Earth: crust: mathematical model of thaw-freeze cycles beneath drilling rigs and production platforms in cold regions, JPT Mar., 381

Earthquake: study: Uintah Basin Section uses TIC concept to advise citizens, (Art.) JPT Mar., 340

East Velma field: See Oklahoma

Echo sounding: afterflow measurement: short-term buildup testing, (Tech. Paper) JPT July, 800 Ecology: and oil: need for a new outlook, (Forum) JPT

Ecology: and oil: need for a new outlook, (Forum) JPT
May, 574

Economics: drilling technology: SPE distinguished lecture,
(Art.) JPT July, 857

FM radio splinter frequency: used in an alarm-status
and data-gathering supervisory system, (Tech.
Paper) JPT Feb., 169
gas storage: underground, (Tech. Paper) JPT Oct., 1221
key to drilling success in coming decades, (Art.) JPT
Jan., 122
of defeaming: increasing oil production rates of foamy

of defoaming: increasing oil production rates of foamy crudes; laboratory screening tests and field results,
(Tech. Paper) JPT Feb., 233
offshore challenge: water, wells and weather, (Art.)

JPT Mar., 317

oil drilling programs: stimulant to oil development,
(Tech. Paper) JPT May, 539
significance of relationship between hydrocarbon accum-

ulation and geopressure, (Tech. Paper) JPT Aug., 923; discussion, 931
Education: See Engineering education

Efficiency: recovery: by water injection in Friendswood field, Texas, (Tech. Paper) JPT June, 685
Electric logging: See Well logging

Electron microscope: thinners: determining effect on fabric of clay muds and gels, (Tech. Paper) JPT Oct., 1193

Elements: water and weather: offshore challenge, (Art.) JPT Mar., 317

Emulsions: micro type: comments on determining the continuous phase, (Forum) JPT Dec., 1437 porous media: theoretical aspects, SPEJ June, 153

Energy: needs: first ten of next hundred years, (Art.) JPT Jan., 11

policy studies: long-range planning 20 years ahead, (Art.) JPT Jan., 13

supply: can it survive the space age?, (Art.) JPT Jan., 63 synthetic: production operations of the future, (Art.) JPT Jan., 27

Engineering: overview: reservoir simulation models, (Tech. Paper) JPT Dec., 1428
reservoir: and polywater, (Forum) JPT Oct., 1263
in 70's and 80's, (Art.) JPT Jan., 33
Engineering education: environmental science: need for a

new outlook on oil and ecology, (Forum) JPT May, 574

Environment: can petroleum engineering survive the space age?, (Art.) JPT Jan., 63 cold: cementing materials for, (Tech. Paper) JPT Oct.,

1215 for first ten of next hundred years, (Art.) JPT Jan., 11 industrial: Arctic; some aspects of petroleum development in Northern Alaska, (Art.) JPT Jan., 19 oil and ecology: need for new outlook, (Forum) JPT May, 574

physical: production operations of the future, (Art.) JPT Jan., 27

undersea: review of health and safety of deep divers, (Tech. Paper) JPT Mar., 294 Equilibrium: vertical: use in two-dimensional simulation of three-dimensional reservoir performance, SPEJ

Mar., 63 Equilibrium ratios: multicomponent systems: calculation

of pressure-temperature phase envelopes, (Tech. Paper) SPEJ Sept., 243
vapor-liquid: light hydrocarbons at reservoir conditions, SPEJ June, 176

Equipment: See also names of various types bits: conical teeth; rock/bit-tooth interaction, SPEJ June,

casing strings and wellheads: solution to ground sub-sidence problems, (Tech. Paper) JPT June, 654 compaction cell: prediction of formation compaction from laboratory compressibility data, SPEJ Sept.,

floating vessels: developments in testing from, (Tech. Paper) JPT July, 788
magnetic device: used to detect tension failures in oilfield

magnetic device: used to detect tension failures in oilfield casing, (Tech. Paper) JPT Aug., 905
moored barge: experimental and theoretical study of motion, (Tech. Paper) SPEJ Sept., 206
offshore platforms: effect of cathodic protection on corrosion fatigue behavior of carbon steel, (Tech. Paper) JPT Mar., 283
production combination tool: new system for production monitoring, (Tech. Paper) JPT May, 603
pumps: positive displacement; practical hydraulics for high-pressure waterflood installations, (Tech. Paper) JPT Feb., 173
spectrometer: theoretical and laboratory evaluation of

spectrometer: theoretical and laboratory evaluation of carbon logging, (Tech. Paper) SPEJ June, 129; discussion, 137

tension leg platform: analysis of, SPEJ Sept., 285 workover and completion: technological survey, (Tech. Paper) JPT Nov., 1375
Evaluations: See also Field tests, Formation evaluation, and

Laboratory studies

bits: performance of tricone type using statistical analysis and sonic logs, JPT Apr., 506 conventional core data, well logging analyses and sidewall

samples: comparison, (Tech. Paper) JPT Dec., 1409

exploratory effort: relation to proved reserves, (Tech. Paper) JPT June, 671

gas field gathering system design: an efficient model for, (Tech. Paper) JPT Sept., 1067 Means San Andres unit waterflood, (Tech. Paper) JPT

Dec., 1421 micellar solutions to improve water injectivity, (Tech.

paper) JPT May, 614
truncation error: numerical diffusion, SPEJ Sept., 315
Exploration: model for predicting proved reserves, (Tech. Paper) JPT June, 671

Fatigue: behavior: effect of cathodic protection on corrosion of carbon steel in synthetic sea water, (Tech. Paper) JPT Mar., 283

Federal regulations: water-pollution control, (Forum) JPT

Field tests: See also Evaluation(s)
Field case history: Cedar Creek Anticline, Montana and
North Dakota: casing failure study, (Tech. Paper) JPT June, 676

JPT June, 676

Huntington Beach offshore field, California: TM sand steam stimulation project, JPT Aug., 987

Little Buffalo Basin field, Wyoming: influence of Tensleep heterogeneity on drilling and secondary recovery, (Tech. Paper) JPT Feb., 161

Louisiana and Texas, Gulf Coast: relationship between hydrocarbon accumulation and geopressure and its economic significance, (Tech. Paper) JPT Aug., 923; discussion, 931

Midway Sunset field, California: combustion as a primary recovery process. JPT Aug., 981

Midway Sunset field, California: combustion as a primary recovery process, JPT Aug., 981

North Government Wells field, Texas: field test of in-situ combustion process in a near-depleted water drive reservoir, (Tech. Paper) JPT Feb., 153

Northwest Avard field, Oklahoma: pressure maintenance project, (Tech. Paper) JPT Sept., 1074

radiotracers in gas-liquid transportation problems, (Tech. Paper) JPT Aug., 939

reservoir simulation models: engineering overview, (Tech. Paper) JPT Dec., 1428

Field tests: See also Applications acid-mutual solvent method: stimulation of sandstone formations, (Tech. Paper) JPT May, 551 automatic closed-loop control: rotary drive engines, (Tech. Paper) JPT Nov., 1305

carbon dioxide: Mead-Strawn field, (Tech. Paper) JPT Apr., 431

Apr., 431 defoaming agents: for increased oil production rates of foamy crudes, (Tech. Paper) JPT Feb., 233 drag reduction: polymeric additive in crude oil pipelines, (Tech. Paper) SPEJ Sept., 229

formation plugging: chemical method, (Tech. Paper) JPT May, 559

gas cycling: adverse influence of stratification, (Tech. Pa-

gas cycling: adverse influence of stratification, (Tech. Paper) JPT Feb., 191
gas injection: for upstructure drainage, (Tech. Paper)
JPT Mar., 361
gas-well performance: simulation using tabular-graphical
techniques, (Tech. Paper) JPT Oct., 1202
gravel size: improper formation sampling leads to improper selection, (Tech. Paper) JPT Dec., 1403
ground subsidence: solution to problems in casing strings
and wellheads. (Tech. Paper) JPT June, 654

ground subsidence: solution to problems in casing strings and wellheads, (Tech. Paper) JPT June, 654 growth of oil slicks: control by surface chemical agents, (Tech. Paper) JPT July, 781 in-situ combustion process: in near-depleted water drive reservoir, (Tech. Paper) JPT Feb., 153 magnetic device: to detect tension failure in oilfield casing, (Tech. Paper) JPT Aug., 905 micellar solutions: development and evaluation to improve water injectivity, (Tech. Paper) JPT May, 614

model for evaluating gas field gathering system design,
(Tech. Paper) JPT Sept., 1067
moored barge: study of motion, (Tech. Paper) SPEJ
Sept., 206
natural hole deviation: role of rock strength anisotropy,

JPT Nov., 1313
organization of: evaluation of tricone bit performance
using statistical analysis and sonic logs, JPT Apr.,

petroleum engineering: evolution and state of the art, (Art.) JPT Jan., 115
reservoir simulation models: adjustment to match field performance, SPEJ Sept., 295
waterflooding: stratified; simulation by pseudo relative permeability curves, (Tech. Paper) JPT July, 805
stream channel concept applied to performance calculations for multiwell, multizone, three-component cases, (Tech. Paper) JPT Mar., 373
wellbore transmissibility: from afterflow-dominated pressure buildup data, JPT July, 863
Financing: See also Investments
petroleum: current developments, (Forum) JPT Feb., 202

petroleum: current developments, (Forum) JPT Feb., 202
Finite difference solutions: numerical diffusion: quantitative
evaluation of truncation error, SPEJ Sept., 315

Finite element method: use in solution of diffusion-convection equations, (Tech. Paper) SPEJ June, 139
Fissured systems: compositional reservoir simulator: single-

Floating vessels: developments in testing from, (Tech. Paper) JPT July, 788

Flow capacity: effects of damage in partially completed wells, JPT Feb., 249

Flowmeter: production monitoring: new system uses pro-duction combination tool, (Tech. Paper) JPT

May, 603 Flow properties: during cementing: scale-model displace-ment studies to predict, (Tech. Paper) JPT Sept.,

Flow tests: analysis: method for determining static pressure of a well from buildup data, JPT May, 621

of a well from buildup data, JPT May, 621 multiple-rate: determining formation capacity and skin factor, JPT July, 879
Fluid flow: See also Specific applications such as Gas injection, Displacement mechanisms, Waterflooding, etc. behavior of solutions of various polymers, JPT Mar., 391 crude oil pipelines: drag reduction with a polymeric additive, (Tech. Paper) SPEJ Sept., 229 during cementing: scale-model displacement studies to predict, (Tech. Paper) JPT Sept., 1081 gas: numerical methods for time-dependent, nonlinear boundary value problems, (Tech. Paper) SPEJ Dec., 374 miscible displacement: improved numerical technique for

miscible displacement: improved numerical technique for solving multidimensional equations, SPEJ Sept.,

oil-water relative permeability relationships: effect of rock wettability, JPT July, 873
open flow potential test: use in determining formation capacity and skin factor, JPT July, 879
pipelines: radiotracers in gas-liquid transportation problems, (Tech. Paper) JPT Aug., 939
porous media: permeability continuity of laminae in the Calvin sandstone, (Tech. Paper) JPT June, 661
possible use of magnetic fields in determining pore geometry, (Tech. Paper) SPEJ Sept., 223 geometry, (Tech. Paper) SPEJ Sept., 223

use of capillary tube networks in reservoir performance studies of equal-viscosity miscible displacements, (Tech. Paper) SPEJ June, 99

wall effects on viscosity, (Forum) JPT Oct., 1263 streamline model for secondary recovery, (Tech. Paper)

SPEJ Mar., 7
through tubing and annular spaces: optimum conditions,
(Forum) JPT Apr., 447
two-phase: comparison of calculated with experimental
imbibition relative permeability, SPEJ Dec., 419
optimal route for pipelines, (Tech. Paper) SPEJ Sept.,

water influx: simplified approach to calculations for finite aquifer systems, (Tech. Paper) JPT July, 814

Fluid injection: See Gas injection, Miscible displacement, Thermal recovery of oil, and Waterflooding.

Fluid mechanics: theory of transitional and turbulent flow of non-Newtonian slurries between flat parallel plates, SPEJ Mar., 52

Foams: defoaming agents: increasing oil production rates of crudes; laboratory screening tests and field results, (Tech. Paper) JPT Feb., 233

Forecasts: developments in petroleum financing, (Forum)

developments in petroleum financing, (Forum)

JPT Feb., 202
drilling: technology, economics, communications; keys
to success in coming decades, (Art.) JPT Jan., 122
energy: long-range planning 20 years ahead, (Art.) JPT

Jan., 13
first ten of next hundred years, (Art.) JPT Jan., 11
formation evaluation goals, (Art.) JPT Jan., 55

natural gas: production technology, (Art.) JPT Jan., 55 natural gas: production technology, (Art.) JPT Jan., 45 trends in supply and demand, (Art.) JPT Jan., 41 petroleum engineering: can it survive the space age?, (Art.) JPT Jan., 63 producing operations of the future, (Art.) JPT Jan., 27 reservoir engineering in the 70's and 80's, (Art.) JPT Jan., 33

Jan.,

well completions, (Art.) JPT Jan., 128
Formation damage: partially completed well: estimating skin effect, JPT Feb., 249

skin effect, JPT Feb., 249
stimulation of sandstone formations: acid-mutual solvent
method, (Tech. Paper) JPT May, 551
sulfur plugging and its removal, SPEJ Sept., 272
Formation evaluation: See also Core analysis, Pressure
buildup, and Well logging
compaction: prediction from laboratory compressibility
data, SPEJ Sept., 263
goals, (Art.) JPT Jan., 55
log analysis: formations with complex lithologies. JPT

log analysis: formations with complex lithologies, JPT
Aug., 995

pressure buildup theory: well in a closed drainage area, JPT Dec., 1493

quantitative interpretation: thermal neutron decay time logs, JPT June, 743 and 756

Formation fractures: buildup curve analysis after well treatment, JPT Apr., 513
compositional reservoir simulator: single block model, (Tech. Paper) SPEJ June, 113

gas storage reservoirs: factors that predict orientation,
(Tech. Paper) JPT May, 546
water and gas cyclic pulsing: improved oil recovery
method, JPT Dec., 1467
Formation fracturing: deep wells: heat transfer effects,
JPT Dec., 1484
gradients in waterfloods of low-parenechility positions.

gradients in waterfloods of low-permeability, partially depleted zones, (Tech. Paper) JPT June, 727 successful stimulation of a thick, low-pressure, watersensitive gas reservoir by pseudolimited entry, (Tech. Paper) JPT Feb., 185

Formation thickness: true vertical: use of curvature method to determine, JPT Apr., 491

Formic acid: reaction characteristics in limestone formations SPEI Dec. 406

tions, SPEJ Dec., 406

Fractured reservoirs or fracturing: See Formation fractures and Formation fracturing

Fractures: See also Formation fractures

Fracturing fluids: CO2 and KCL in H2O: successful stimulation of a thick, low-pressure, water-sensitive gas reservoir by pseudolimited entry, (Tech. Paper) JPT Feb., 185

ultraviscous: heat transfer effects in deep well fracturing, JPT Dec., 1484

Frequency: FM radio splinter: used in an alarm-status and data-gathering supervisory system, (Tech. Paper)
JPT Feb., 169

Friendswood field: See Texas

Fugacity: estimation: method of correlation of high-temperature, high-pressure gas-solid adsorption data, (Forum) SPEJ Mar., 4

Functions: pressure: analysis of buildup curves obtained after well treatment, JPT Apr., 513

Galerkin method: numerical solution for time-dependent, nonlinear boundary value problems, (Tech. Paper) SPEJ Dec., 374

Gamma rays: carbon logging: theoretical and laboratory evaluation, (Tech. Paper) SPEJ June, 129; discussion, 137

Gas cap drive: Northwest Avard field, Oklahoma, (Tech. Paper) JPT Sept., 1074

Gas condensates: See Condensates

Gas cyclic pulsing: improved oil recovery method, JPT Dec., 1467

Gas cycling: Kaybob South projects: pupperiod simpletics

Gas cycling: Kaybob South projects: numerical simulation,
(Tech. Paper) JPT Oct., 1253
operational problems with 8000-psig injection compressors, (Tech. Paper) JPT Apr., 424
stratification: adverse influence on a project, (Tech. Paper) JPT Feb., 191

Gas fields: frozen: depths to which gas hydrates may be expected, (Tech. Paper) JPT Apr., 419 simulation: model for evaluating gathering system design, (Tech. Paper) JPT Sept., 1067
Gas industry: supply and demand: factors controlling, (Art.) JPT Jan., 41

Gas injection for upstructure drainage, (Tech. Paper) JPT

Gas injection for upstructure drainage, (1ech. Paper) JP1
Mar., 361
Friendswood field, Texas: temporary halt to waste, (Tech. Paper) JPT June, 685
operational problems with 8000-psig injection compressors, (Tech. Paper) JPT Apr., 424
Gas percolation: method of controlling in numerical simulation of solution gas drive reservoirs, SPEJ Mar.,

Gas production: low-permeability reservoirs: effect of rock stress, JPT Sept., 1161
Gas reservoirs: low permeability: effect of rock stress on gas production, JPT Sept., 1161
storage: factors that predict fracture orientation, (Tech. Paper) JPT May, 546
thick, low-pressure, water-sensitive: successful stimulation

by pseudolimited entry, (Tech. Paper) JPT Feb., 185 Gas saturation: change: comparison of calculated with ex-

perimental imbibition relative permeability, SPEJ Dec., 419

Gas storage: underground: impermeation of porous media by forming hydrates in situ, (Tech. Paper) JPT

Sept., 1059
Gas stripping: in-situ combustion process; experimental simulation of zones preceding the combustion front, SPEJ Mar., 38
Gas wells: low permeability: use of computer model in matching history and predicting performance, (Tech. Paper) JPT Dec., 1415

(Tech. Paper) JPT Dec., 1415

open flow potential test: use in determining formation capacity and skin factor, JPT July, 879
performance: simulation using tabular-graphical techniques, (Tech. Paper) JPT Oct., 1202
static pressure: method of determining from buildup data, JPT May, 621
Gases: See also Natural gas hydrogen sulfide: a toxic gas that can kill, (Forum) JPT Mar., 273
Gathering system: data: use of FM radio splinter frequency, (Tech. Paper) JPT Feb., 169
design: gas field; an efficient model for evaluating, (Tech. Paper) JPT Sept., 1067
starting behavior of lines filled with gelled Prudhoe Bay oil, (Tech. Paper) JPT Mar., 301
Gels: fabric of: effect of thinners, (Tech. Paper) JPT Oct., 1193
Geological study: sandstone continuity: Mesaverde forma-

Geological study: sandstone continuity: Mesaverde formation, Rulison field area, Colorado, (Tech. Paper)
JPT Aug., 911
Geopressure: relationship to hydrocarbon accumulation
and its economic significance, (Tech. Paper) JPT

Aug., 923; discussion, 931 Government: views: water-pollution control, (Forum) JPT

July, 829

Graphical analysis: and tabular techniques: simulation of gas well performance, (Tech. Paper) JPT Oct., 1202

pressure buildup: stabilized well, JPT Sept., 1155

Gravel packing: grain size: improper formation sampling leads to improper selection, (Tech. Paper) JPT Dec., 1403

Gravity drainage: mathematical models for predicting reservoir behavior, JPT Sept., 1145
Ground bed: subsidence: solution to problems in casing strings and wellheads, (Tech. Paper) JPT June,

Gulf Coast: abnormal pressures: permeability considera-tions in generation of, (Tech. Paper) SPEJ Sept.,

comparison of conventional core data, well logging analyses and sidewall samples, (Tech. Paper) JPT

Dec., 1409
relationship between hydrocarbon accumulation and geopressure and its economic significance, (Tech. Paper) JPT Aug., 923; discussion, 931

Texas: gas cycling project; adverse influence of stratification, (Tech. Paper) JPT Feb., 191

Hawkins field: See Texas Health: hydrogen sulfide: a toxic gas that can kill, (Forum) JPT Mar., 273

of deep divers: a review, (Tech. Paper) JPT Mar., 294 Heat: conduction: use of finite-element method in solution of diffusion-convection equation, (Tech. Paper) SPEJ June, 139

Heat flow: reservoir heating by steam injection: two-dimensional analysis, SPEJ June, 185

Heat transfer: convection: combined free and forced type in porous media, SPEJ Dec., 399
effects in deep well fracturing, JPT Dec., 1484
Heterogeneity: Little Buffalo Basin Tensleep: its influence on drilling and secondary recovery, (Tech. Paper)

JPT Feb., 161
reservoir: permeability continuity of laminae in the Calvin sandstone, (Tech. Paper) JPT June, 661
reservoir rock: use of capillary tube networks in equal-

viscosity miscible displacements, (Tech. Paper) SPEJ June, 99

High pressure: method of correlation of gas-solid adsorption

ata, (Forum) SPEJ Mar., 4

8000-psig: operational problems with injection compressors, (Tech. Paper) JPT Apr., 424

waterflood installations: practical hydraulics of positive displacement pumps, (Tech. Paper) JPT Feb., 173

History: connate water: development of knowledge, (Forum) JPT Oct., 1264

evolution of petroleum engineering: applied to oilfield operations, (Art.) JPT Jan., 107 first ten of next hundred years, (Art.) JPT Jan., 11 matching: adjustment of reservoir simulation model to field performance, SPEJ Sept., 295 note on pulse-test interpretation (Forum) JPT Sept., 1143

use of computer model; low permeability gas wells, (Tech. Paper) JPT Dec., 1415
petroleum engineering research, (Art.) JPT Jan., 115
Hole deviation: mathematical analysis of errors in direc-

tional survey calculations, (Tech. Paper) JPT Nov., 1368

natural: role of rock strength anisotropy, JPT Nov., 1313 Huntington Beach offshore field: See California

Hudtogton Beach of onsore field: See California
Hydrates: depths to which frozen gas fields may be expected, (Tech. Paper) JPT Apr., 419
forming in situ: impermeation of porous media, (Tech. Paper) JPT Sept., 1059
Hydraulics: practical: positive displacement pumps for highpressure waterflood installations, (Tech. Paper)
JPT Feb., 173
Hydrogeness and Collaborations.

Hydrocarbon recovery: See Gas recovery and Oil recovery Hydrocarbons: light: vapor-liquid equilibrium ratios (K-values) at reservoir conditions, SPEJ June, 176 multicomponent systems: calculation of pressure-temperature phase envelopes, (Tech. Paper) SPEJ Sept., 243

relation between accumulation and geopressure and its economic significance, (Tech. Paper) JPT Aug., 923; discussion, 931 slugs: driven by hot water bank; oil recovery, (Tech.

Paper) SPEJ Dec., 342
Hydrochloric acid: reaction characteristics in limestone formations, SPEJ Dec., 406

Hydrofluoric acid: reaction: porous sandstone, SPEJ Sept., 306

Hydrogen sulfide: gas: toxic effects, (Forum) JPT Mar., 273

rate of reaction of dissolved oxygen: chemical removal from natural waters, (Tech. Paper) JPT Apr., 443 sulfur solubility: elevated temperature and pressure, SPEJ

Imbibition: capillary pressure curves: effect of temperature level, (Tech. Paper) SPEJ Mar., 13
relative permeability: comparison of experimental and calculated results, SPEJ Dec., 419
Immiscible displacement: numerical diffusion: quantitative evaluation of truncation error, SPEJ Sept., 315
Impermeation: porous media: by forming hydrates in situ

Impermeation: porous media: by forming hydrates in situ, (Tech. Paper) JPT Sept., 1059

Injection: See also Gas injection, Miscible displacement, Thermal recovery of oil, Solvent flooding, and Waterflooding

cold waterflooding following steam slug: oil recovery by, (Tech. Paper) SPEJ Dec., 351
crestal: gas cycling projects; Kaybob South field, (Tech. Paper) JPT Oct., 1253

paper) JPT Oct., 1253
gas and water in combination: Little Buffalo Basin Tensleep heterogeneity; its influence on drilling and secondary recovery, (Tech. Paper) JPT Feb., 161
modifications: Means San Andres unit waterflood, (Tech. Paper) JPT Dec., 1421
pressure: fracturing gradients in waterfloods of low-permeability, partially depleted zones, (Tech. Paper) JPT June, 727
profile control: chemical method for formation plugging, (Tech. Paper) JPT May, 559
steam: experimental investigation of soaking in a depletion-type reservoir, JPT Aug., 1006
TM sand project, Huntington Beach offshore field, JPT Aug., 987
two-dimensional analysis of reservoir heating, SPEJ June, 185

water: practical hydraulics of positive displacement pumps for high-pressure waterflood installations, (Tech. Paper) JPT Feb., 173

Injection wells: three-well pilot: determining a proper flood pattern in a channel sand, (Tech. Paper) JPT Feb., 195

Injectivity: water development

Injectivity: water: development and evaluation of micellar solutions to improve, (Tech. Paper) JPT May, 614
In-situ combustion: See Thermal recovery of oil
Instrumentation: electronic: monitoring multiphase flow with radiotracers, (Tech. Paper) JPT Aug., 939
Interfaces: solid-liquid: viscosity increases, (Forum) JPT
Oct., 1263

Interfacial tension: water against methane-normal decane mixtures: effect of temperature and pressure, SPEJ June, 171

Interference: pulse-test interpretation, (Forum) JPT Sept., 1143

International: regulations: water pollution control, (Forum)
JPT July, 829
Interpretation: directional surveys: use of curvature method

to determine true vertical reservoir thickness, JPT

Apr., 491
gradiomanometer: new system for production monitoring, (Tech. Paper) JPT May, 603
porosity-lithology: computer-oriented generalized program of neutron, density and sonic logs, (Tech. Paper) JPT Feb., 239
pulse testing, (Forum) JPT Sept., 1143
quantitative: thermal neutron decay time logs, JPT June, 743 and 756

743 and 756

743 and 756
well log analysis for complex lithologies, JPT Aug., 995
Interstitial water: early development of knowledge, (Forum)
JPT Oct., 1264
Investment: See also Financing
economics: model for North American oil supply and
distribution, (Tech. Paper) JPT Sept., 1089
oil drilling programs: stimulant to oil development,
(Tech. Paper) JPT May, 539
Iteration: matrix solution method: suitable for anisotropic
problems, SPEJ Mar., 47

Joints: surface: a factor that predicts fracture orientation in a gas storage reservoir, (Tech. Paper) JPT May, 546

Kaybob South field: See Canada

Kinetics: combustion: methane oxidation inside sandstone matrices, (Tech. Paper) SPEJ June, 145 hydrofluoric acid reaction: porous sandstone, SPEJ Sept.,

model: characteristics of acid reaction in limestone formations, SPEJ Dec., 406

Laboratory studies: Calvin sandstone: permeability con-tinuity of laminae, (Tech. Paper) JPT June, 661 capillary pressure curves: effect of temperature level upon, (Tech. Paper) SPEJ Mar., 13 carbon dioxide: test at Mead-Strawn field, (Tech. Paper)

JPT Apr., 431

carbon logging evaluation, (Tech. Paper) SPEJ June, 129; discussion, 137 carbon steel in synthetic sea water: effect of cathodic

protection on corrosion fatigue behavior, (Tech. Paper) JPT Mar., 283
combined free and forced convection in porous media,

combined free and forced convection in porous media, SPEJ Dec., 399
consolidation of dirty sands by phenol-formaldehyde plastic, (Tech. Paper) JPT Aug., 934
crude oil pipelines: drag reduction with a polymeric additive, (Tech. Paper) SPEJ Sept., 229
drilling fluids: condition of hole and interaction with formation rock, (Tech. Paper) JPT Nov., 1294
effect of rock stress on gas production from low-permeability reservoirs, JPT Sept., 1161
fine particles: physics of movement through permeable aquifers, (Tech Paper) SPEJ Dec., 367
formation compaction: prediction from compressibility data, SPEJ Sept., 263
formation plugging: chemical method, (Tech. Paper)

data, SPEJ Sept., 263
formation plugging: chemical method, (Tech. Paper)
JPT May, 559
ground subsidence: solution to problems in casing strings
and wellheads, (Tech. Paper) JPT June, 654
growth of oil slicks: control by surface chemical agents,
(Tech. Paper) JPT July, 781
imbibition relative permeability: comparison of calculated

imbibition relative permeability: comparison of calculated with experimental results, SPEJ Dec., 419 impermeation of porous media by forming hydrates in situ, (Tech. Paper) JPT Sept., 1059

in-situ combustion process: experimental simulation of zones preceding the combustion front, SPEJ Mar., 38

in a near-depleted water drive reservoir, (Tech. Paper) JPT Feb., 153

interfacial tension: water against methane-normal decane mixtures; effect of temperature and pressure, SPEJ June, 171

methane 'oxidation: kinetics inside sandstone matrices, (Tech. Paper) SPEJ June, 145

micellar solutions: development and evaluation to im-prove water injectivity, (Tech. Paper) JPT May, 614

microemulsions: comments on determining the continuous phase, (Forum) JPT Dec., 1437 mobility control by polymer solutions: factors influencing, JPT Mar., 391

moored barge: experimental and theoretical study of motion, (Tech. Paper) SPEJ Sept., 206

oil recovery: hydrocarbon slugs driven by a hot water bank, (Tech. Paper) SPEJ Dec., 342 improved by water and gas cyclic pulsing method, JPT Dec., 1467

water-driven steam slug, (Tech. Paper) SPEJ Dec., 351 oil-water relative permeability relationships: effect of rock wettability, JPT July, 873

oxygen: chemical removal from natural waters, (Tech. Paper) JPT Apr., 443

petroleum engineering: evolution and state of the art, (Art.) JPT Jan., 115

polymer flood: prediction of performance, SPEJ Mar., 72 pore geometry: determining for porous media by use of magnetic fields, (Tech. Paper) SPEJ Sept., 223

pressure distribution under a tricone bit: effect of nozzle size, number, and extension, (Tech. Paper) JPT Nov., 1299

rock strength anisotropy: role in natural hole deviation, JPT Nov., 1313 sand-packed model: predicting reservoir behavior, JPT

sand-packed model: predicting reservoir behavior, JP1
Sept., 1145
scale-model displacement: predict flow behavior during
cementing, (Tech. Paper) JPT Sept., 1081
screening tests: defoaming agents for increased oil production rates of foamy crudes, (Tech. Paper)
JPT Feb., 233
soluble oils: use for oil recovery, JPT Dec., 1475
starting behavior of gathering lines and pipelines filled
with gelled Prudhoe Bay oil, (Tech. Paper) JPT
Mar. 301 Mar., 301

Mar., 301
steamflooding: oil vaporization during, JPT June, 731
steam soaking: depletion-type reservoir, JPT Aug., 1006
thinners: effect on fabric of clay muds and gels, (Tech.
Paper) JPT Oct., 1193
turbulent dispersion in porous materials: modeled by
mixing cell with stagnant zone, SPEJ Mar., 57
LACT: FM radio splinter frequency: used in an alarm
status and data gathering supervisory system,
(Tech. Paper) JPT Feb., 169
Lewis Booch sand unit: See Oklahoma
Limestones: acid reaction: characteristics of SPEJ Dec., 406

Limestones: acid reaction: characteristics of, SPEJ Dec., 406
pore compressibility predictions, (Forum) SPEJ Dec., 340
Limited entry: pseudo: successful stimulation of a thick,
low-pressure, water-sensitive gas reservoir, (Tech.
Paper) JPT Feb., 185

Linear programming: reservoir simulation models: adjustment to match field performance, SPEJ Sept., 295
Line drive: flood pattern: determining from a three-well pilot in a channel sand, (Tech. Paper) JPT Feb., 195

gas cycling projects: numerical simulation of Kaybob South field, (Tech. Paper) JPT Oct., 1253 waterfloods: predicting optimum shut-in of wells, JPT Apr., 497
Lisbon field: See Utah

Lithology: complex: log analysis, JPT Aug., 995

porosity interpretation: neutron, density and sonic logs; computer-oriented generalized program, (Tech. Paper) JPT Feb., 239

Little Buffalo basin field: See Wyoming

LNG: supply and demand: factors controlling, (Art.) JPT Jan., 41
Logging: See Well logging

Logging: See Well logging
Log interpretation: See Interpretation
Louisiana: Cheniere Cadeville unit: operational problems
with 8000-psig injection compressors, (Tech. Paper) JPT Apr., 424
offshore: comparison of conventional core data, well
logging analyses and sidewall samples, (Tech.
Paper) JPT Dec., 1409
competitive bidding in high-risk situations, (Tech. Paper) JPT June, 641
relationship between hydrocarbon accumulation and geopressure and its economic significance. (Tech.

pressure and its economic significance, (Tech. Paper) JPT Aug., 923; discussion, 931 upply and demand: factors controlling, (Art.)

LPG: supply and do JPT Jan., 41

M

Magnetic fields: use in determining pore geometry of porous media, (Tech. Paper) SPEJ Sept., 223

Magnetic logging: device to detect tension failures in oilfield casing, (Tech. Paper) JPT Aug., 905

Management: production: electronic computer control system, (Tech. Paper) JPT July, 793

Marine environment: offshore development: admiralty law and its effect, (Tech. Paper) JPT Mar., 276

Material balance: water influx calculations: simplified approach for finite aquifer systems, (Tech. Paper)
JPT July, 814

Mathematical modeling: See Models: mathematical Mathematical programming: dynamic: optimal route for pipelines in two-phase flow, (Tech. Paper) SPEJ Sept., 215 Mathematics: analysis of errors in directional survey cal-culations, (Tech. Paper) JPT Nov., 1368

Matrix: acidization with highly reactive acids, SPEJ Dec.,

solution: iterative method suitable for anisotropic prob-lems, SPEJ Mar., 47

Mead-Strawn field: See Texas

Means San Andres field: See Texas

Methane: normal decane mixtures: interfacial tension of water against; effect of temperature and pressure, SPEJ June, 171 oxidation: kinetics inside sandstone matrices, (Tech. Paper) SPEJ June, 145

Methyl cyanoacetate: selective solvent for purifying natural gas, JPT Apr., 483

Micellar solutions: development and evaluation to improve water injectivity, (Tech. Paper) JPT May, 614

microemulsions: comments on determining the continuous phase, (Forum) JPT Dec., 1437

Midway Sunset field: See California

Minerals: resources: can petroleum engineering survive the space age?, (Art.) JPT Jan., 63

Miscible displacement: Calvin sandstone: permeability continuity of laminae, (Tech. Paper) JPT June, 661 equal-viscosity type: use of capillary tube networks in Carbon Paper) reservoir performance studies, (Tech. Paper) SPEJ June, 99

equations, multidimensional: improved numerical technique for solving, SPEJ Sept., 277
numerical diffusion: quantitative evaluation of truncation error, SPEJ Sept., 315

Mixing: cell: with stagnant zone; used to model turbulent dispersion in porous materials, SPEJ Mar., 57

lixtures: gas-liquid: radiotracers in transportation prob-lems, (Tech. Paper) JPT Aug., 939 methane-normal decane mixtures: effect of temperature Mixtures:

and pressure on interfacial tension of water, SPEJ

Mobility: control: by polymer solution; factors influencing, JPT, Mar., 391 fluids: streamline model for secondary recovery, (Tech.

Paper) SPEJ Mar., 7

Models: analytical: turbulent dispersion in porous terials using mixing cell with stagnant zone, SPEJ Mar., 57

Mar., 57
behaviorial: continental oil supply and distribution, (Tech. Paper) JPT Sept., 1089
capillary tube networks: use in reservoir performance studies of equal-viscosity miscible displacements, (Tech. Paper) SPEJ June, 99
computer: predicting optimum shut-in of wells in peripheral and line drive waterfloods, JPT Apr., 497
displacement: scaled studies to predict flow behavior during cementing, (Tech. Paper) JPT Sept., 1081
error: mathematical analysis for directional survey calculations, (Tech. Paper) JPT Nov., 1368
flow performance: utilization of outcrop data, (Tech. Paper) JPT Aug., 911
glass-bead packs: pore geometry of porous media; use

Paper) JPT Aug., 911
glass-bead packs: pore geometry of porous media; use
of magnetic fields, (Tech. Paper) SPEJ Sept., 223
glass beads in steel tube: oil recovery by a water-driven
steam slug, (Tech. Paper) SPEJ Dec., 351
kinetic: characteristics of acid reaction in limestone formations, SPEJ Dec., 406
mathematical: combined free and forced convection in
porous media, SPEJ Dec., 399
competitive bidding in high-risk situations, (Tech. Paper) JPT June, 641
compositional reservoir simulator for fissured systems

per) JPT June, 641
compositional reservoir simulator for fissured systems,
(Tech. Paper) SPEJ June, 113
effect of rock stress on gas production from lowpermeability reservoirs, JPT Sept., 1161
estimating skin effect in a partially completed damaged
well, JPT Feb., 249
gas cycling; adverse influence of stratification, (Tech.
Paper) JPT Feb., 191
matrix acidization with highly reactive acids. SPEJ

matrix acidization with highly reactive acids, SPEJ

matrix acidization with highly reactive acids, SPEJ Dec., 390
network system transients; calculation by implicit method, (Tech. Paper) SPEJ Dec., 356
predicting reservoir behavior, JPT Sept., 1145
relationship between proved reserves and exploratory effort, (Tech. Paper) JPT June, 671
rock/bit-tooth interaction; conical bit teeth, SPEJ June, 162

rock indentation analysis; general shapes of surface boundaries and punch profiles, SPEJ Sept., 321 scheduling development drilling, (Tech. Paper) SPEJ

Sept., 252 thaw-freeze cycles beneath drilling rigs and production platforms in cold regions, JPT Mar., 381

platforms in cold regions, JPT Mar., 381
two-dimensional analysis of reservoir heating by steam
injection, SPEJ June, 185
moored barge: experimental and theoretical study of
motion, (Tech. Paper) SPEJ Sept., 206
multicell: engineering overview of reservoir simulation,
(Tech. Paper) JPT Dec., 1428
numerical: prediction of polymer flood performance,
SPEJ Mar., 72
simulation of Kaybob South gas cycling projects,
(Tech. Paper) JPT Oct., 1253
potentiometric: solving multidimensional miscible displacement equations; comparison with improved
numerical technique, SPEJ Sept., 277
sand pack: experimental investigation of steam soaking

sand pack: experimental investigation of steam soaking in a depletion-type reservoir, JPT Aug., 1006 experimental simulation of zones preceding the combustion front of an in-situ combustion process, SPEJ Mar., 38

use of soluble oils for oil recovery, JPT Dec., 1475 simulation: adjustment to match field performance, SPEJ Sept., 295

evaluating gas field gathering system design, (Tech. Paper) JPT Sept., 1067
stratified: waterflooding; simulation by pseudo relative permeability curves, (Tech. Paper) JPT July, 805
streamline: for secondary recovery, (Tech. Paper) SPEJ

Mar., 7
tension leg: analysis of platform, SPEJ Sept., 285
theoretical: transitional and turbulent flow of non-Newtonian soluries between flat parallel plates, SPEJ Mar., 52

well computer: use in matching history and predicting performance of low permeability gas wells, (Tech. Paper) JPT Dec., 1415

Montana: Cedar Creek anticline: casing failure study,

(Tech. Paper) JPT June, 676

Mooring: barge: experimental and theoretical study of motion, (Tech. Paper) SPEJ Sept., 206
tension leg platform: analysis of, SPEJ Sept., 285

Mud systems: acquisition and analysis of data for optimized drilling, (Tech. Paper) JPT Nov., 1285

Multiple zones: stream channel concept applied to water-

flood performance calculations for multiwell, three-component cases, (Tech. Paper) JPT Mar., 373 Multiwell systems: stream channel concept applied to water-flood performance calculations for multizone, three-component cases, (Tech. Paper) JPT Mar., 373

N

Natural gas: See also Gases

hydrates: depths to which frozen gas fields may be expected, (Tech. Paper) JPT Apr., 419

pipelines: network system transient calculations by implicit method, (Tech. Paper) SPEJ Dec., 356 production technology: future of, (Art.) JPT Jan., 45 selective solvent for purifying, JPT Apr., 483 supply and demand: factors controlling, (Art.) JPT Jan.,

underground storage: economics of, (Tech. Paper) JPT

Oct., 1221

vapor-liquid equilibrium ratios at reservoir conditions, SPEJ June, 176 Neutron logging: porosity-lithology interpretation:

puter-oriented generalized program, (Tech. Paper) JPT Feb., 239

thermal neutron decay time logs: quantitative interpreta-tion, JPT June, 743 and 756 New Mexico: Blanco Mesaverde field: use of computer

model in matching history and predicting per-formance of low permeability gas wells, (Tech. Paper) JPT Dec., 1415

Nomograph: optimum flow conditions through tubing and annular spaces, (Forum) JPT Apr., 447

Non-Newtonian systems: slurries between flat parallel plates: theory of transitional and turbulent flow, SPEJ Mar., 52

North Dakota: Cedar Creek anticline: casing failure study, (Tech. Paper) JPT June, 676 North Government Wells field: See Texas

North Slope: construction criteria for roads and facilities, (Tech. Paper) JPT Oct., 1209

mathematical models of thaw-freeze cycles beneath drilling rigs and production platforms, JPT Mar., 381

Northwest Avard field: See Oklahoma

Nozzle size: tricone bit: effect on pressure distribution un-der, (Tech. Paper) JPT Nov., 1299 Nuclear explosives: can petroleum engineering survive the space age? (Art.) JPT Jan., 63

Nuclear logging: theoretical and laboratory evaluation of carbon logging, (Tech. Paper) SPEJ June, 129; discussion, 137

Numerical solutions: abnormal pressures: permeability considerations in generation of, (Tech. Paper) SPEJ Sept., 236
analysis of automatic closed-loop control: rotary drive engines, (Tech. Paper) JPT Nov., 1305
buildup curve analysis: after well treatment, JPT Apr., 513

capillary tube networks: use in reservoir performance studies of equal-viscosity miscible displacements, (Tech Paper) SPEJ June, 99

(Tech Paper) SPEJ June, 99
combined free and forced convection in porous media,
SPEJ Dec., 399
compositional reservoir simulator for fissured systems:
single-block model, (Tech. Paper) SPEJ June, 113
curvature method: used to determine true vertical reservoir thickness, JPT Apr., 491
diffusion: quantitative evaluation of the truncation error,
SPEJ Sept., 315
directional survey calulations: mathematical analysis of
errors, (Tech. Paper) JPT Nov., 1368
drainage shapes: estimating from reservoir limit tests,
JPT Oct., 1266
emulsification in porous media: theoretical aspects, SPEJ

emulsification in porous media: theoretical aspects, SPEJ June, 153

extrapolation of historical storm data for estimating design-wave heights, SPEJ Mar., 23 gas injection for upstructure drainage, (Tech. Paper) JPT

heat transfer effects in deep well fracturing, JPT Dec., 1484

1484
indentation analysis: general shapes of surface boundaries and punch profiles, SPEJ Sept., 321
inflow performance of wells producing from solution gas drive reservoirs, (Forum) JPT Sept., 1141
iterative matrix solution method suitable for anisotropic problems, SPEJ Mar., 47
mathematical model: thaw-freeze cycles beneath drilling rigs and production platforms in cold regions, JPT Mar., 381
methane oxidation; kinetics inside sandstone matrices.

methane oxidation: kinetics inside sandstone matrices, (Tech. Paper) SPEJ June, 145

multidimensional miscible displacement equations, SPEJ

Sept., 277 network system transients: implicit method, (Tech. Pa-

network system transients: implicit method, (Tech. Paper) SPEJ Dec., 356
optimal route for pipelines in two-phase flow, (Tech. Paper) SPEJ Sept., 215
prediction of polymer flood performance, SPEJ Mar., 72
pressure-temperature phase envelopes of multicomponent systems, (Tech. Paper) SPEJ Sept., 243
relationship between proved reserves and exploratory effort, (Tech. Paper) JPT June, 671
reservoir heating by steam injection: two-dimensional

reservoir heating by steam injection: two-dimensional analysis, SPEJ June, 185 reservoir simulation models: adjustment to match field

performance, SPEJ Sept., 295
rock/bit-tooth interaction: conical bit teeth, SPEJ June, 162

simulation of solution gas drive reservoirs: simple method

simulation of solution gas drive reservoirs: simple method for controlling gas percolation, SPEJ Mar., 85 skin effect: estimating in a partially completed damaged well, JPT Feb., 249 solution of diffusion-convection equations: use of finite-element method, (Tech. Paper) SPEJ June, 139 static pressure of a well: method for determining from buildup data, JPT May, 621 steamflooding: oil vaporization during, JPT June, 731 stochastic inventory model for scheduling development drilling, (Tech. Paper) SPEJ Sept., 252 stratified waterflooding: simulation by pseudo relative permeability curves, (Tech. Paper) JPT July, 805

streamline model for secondary recovery, (Tech. Paper)

SPEJ Mar., 7
structural characteristics: granular porous media, (Tech. Paper) SPEJ Dec., 363
theory of transitional and turbulent flow of non-New-

tonian slurries between flat parallel plates, SPEJ Mar., 52

time-dependent, nonlinear boundary value problems, (Tech. Paper) SPEJ Dec., 374 turbulent dispersion in porous materials: modeled by

turbulent dispersion in porous materials: modeled by mixing cell with stagnant zone, SPEJ Mar., 57 two-dimensional simulation of three-dimensional reservoir performance: use of vertical equilibrium, SPEJ Mar., 63 water influx calculations: simplified approach for finite aquifer systems, (Tech. Paper) JPT July, 814 waterflood performance: stream channel concept applied to calculations for multiwell, multizone, three-component cases, (Tech. Paper) JPT Mar., 373 well in a closed drainage area: general pressure buildup theory, JPT Dec., 1493

Offshore: development: admiralty law and its effect, (Tech. Paper) JPT Mar., 276
growth of oil slicks: control by surface chemical agents, (Tech. Paper) JPT July, 781
moored barge: experimental and theoretical study of motion, (Tech. Paper) SPEJ Sept., 206
platforms: analysis of tension leg type, SPEJ Sept., 285
effect of cathodic protection on corrosion fatigue behavior of carbon steel, (Tech. Paper) JPT Mar., 283 283

extrapolation of historical storm data for estimating design-wave heights, SPEJ Mar., 23
water, wells and weather challenge, (Art.) JPT Mar., 317
Offshore drilling: floating vessels: developments in testing from, (Tech. Paper) JPT July, 788
Offshore operations: diving: health and safety review, (Tech. Paper) JPT Mar., 294

evolution of petroleum engineering as applied to oilfields, (Art.) JPT Jan., 107 steam stimulation: TM sand project, Huntington Beach offshore field, JPT Aug., 987

Oil: See also Petroleum and ecology: need for a new outlook, (Forum) JPT May, 574

drilling programs: stimulant to oil development, (Tech. Paper) JPT May, 539

Oil fields: See also names of specific fields development drilling: stochastic inventory model for scheduling, (Tech. Paper) SPEJ Sept., 252 operations: evolution of petroleum engineering applied to, (Art.) JPT Jan., 107

Oil industry for the petroleum engineering applied to the petroleum engineering ap Oil industry: first ten of next hundred years, (Art.) JPT

Jan., 11 planning the energy years, (Art.) JPT Jan., 13 Oil production: rates: increasing for foamy crudes by de-

foaming agents; laboratory screening tests and field results, (Tech. Paper) JPT Feb., 233

Oil recovery: hydrocarbon slugs: driven by hot water bank, (Tech. Paper) SPEJ Dec., 342

improved: water and gas cyclic pulsing method, JPT Dec., 1467

Mead-Strawn field: carbon dioxide pilot test, (Tech. Paper) JPT Apr., 431
reservoir engineering in the 70's and 80's (Art.) JPT Jan.. 33

rock wettability: effect on oil-water relative permeability

relationships, JPT July, 873
use of soluble oils, JPT Dec., 1475
water-driven steam slug, (Tech. Paper) SPEJ Dec., 351
waterflood predictions: empirical approach, (Tech. Paper)
JPT May, 565

Oil shales: problems: can petroleum engineering survive the space age?, (Art.) JPT Jan., 63

Oil slicks: growth: control by surface chemical agents, (Tech. Paper) JPT July, 781
Oil wells: stabilized: simplified method of pressure buildup analysis, JPT Sept., 1155
static pressure method of determining from buildup data,
JPT May, 621
Oklahomat: Calvin, sandstones: permeability, continuity, of

Oklahoma: Calvin sandstone: permeability continuity of laminae, (Tech. Paper) JPT June, 661

East Velma field: defoaming agents for increased oil production rates of foamy crudes; laboratory screening tests and field results, (Tech. Paper) JPT Feb.,

field tests: drag reduction with a polymeric additive in crude oil pipelines, (Tech. Paper) SPEJ Sept., 229
Lewis Booch sand unit: determining a proper flood pattern from a three-well pilot in a channel sand, (Tech. Paper) JPT Feb., 195

Northwest Avard field: pressure maintenance project,
(Tech. Paper) JPT Sept., 1074

Optimization: drilling: acquisition and analysis of data,
(Tech. Paper) JPT Nov., 1285

(Tech. Paper) JPT Nov., 1285
pipeline routes: two-phase flow, (Tech. Paper) SPEJ
Sept., 215
steam-slug size and production cycle length: steam soaking in a depletion-type reservoir, JPT Aug., 1006
Orientation: fractures: factors that predict in a gas storage
reservoir, (Tech. Paper) JPT May, 546
Oxidation: methane: kinetics inside sandstone matrices,
(Tech. Paper) SPEJ June, 145
Oxygen: chemical removal from natural waters. (Tech.

Oxygen: chemical removal from natural waters, (Tech. Paper) JPT Apr., 443
toxicity: review of health and safety of deep divers,

(Tech. Paper) JPT Mar., 294

Packers: external casing: use for zonal segregation in the Wilmington oil field, (Tech. Paper) JPT Sept.,

Particles: fine: physics of movement through permeable aquifers, (Tech. Paper) SPEJ Dec., 367

Pegasus field: See Texas

Pennsylvania: connate water: early development of knowledge, (Forum) JPT Oct., 1264

edge, (Forum) JPT Oct., 1264

Performance predictions: gas cycling projects: numerical simulation of Kaybob South field, (Tech. Paper) JPT Oct., 1253

gas wells: low permeability; use of computer model in matching history, (Tech. Paper) JPT Dec., 1415

simulation using tabular-graphical techniques, (Tech. Paper) JPT Oct., 1202

low-permeability reservoirs: effect of rock stress on gas production, JPT Sept., 1161

mathematical models for predicting reservoir behavior.

mathematical models for predicting reservoir behavior,
JPT Sept., 1145

optimum shut-in of wells in peripheral and line drive
waterfloods, JPT Apr., 497

Performance predictions: polymer flood, SPEJ Mar., 72 rotary rock bits, (Tech. Paper) JPT Nov., 1359 waterfloods: empirical approach, (Tech. Paper) JPT May, 565

Peripheral well pattern: waterfloods: predicting optimum shut-in of wells, JPT Apr., 497

Permafrost: Arctic region: as industrial environment; some aspects of petroleum development in northern Alaska, (Art.) JPT Jan., 19 depths to which frozen gas fields may be expected, (Tech. Paper) JPT Apr., 419

cementing materials for cold environments, (Tech. Paper) JPT Oct., 1215

Permeability: considerations in generation of al pressures, (Tech. Paper) SPEJ Sept., 236 abnormal

directional: channel sand; determining a proper flood pattern from a three-well pilot, (Tech. Paper) JPT Feb., 195

low: effect of rock stress on gas production, JPT Sept.,

fracturing gradients in waterfloods of partially depleted zones, (Tech. Paper) JPT June, 727 gas wells; use of computer model in matching history

and predicting performance, (Tech. Paper) JPT

Dec., 1415

water and gas cyclic method for improved oil recovery,
JPT Dec., 1467

porous sandstone: hydrofluoric acid reaction with, SPEJ

Sept., 306

reduction: estimating skin effect in a partially completed damaged well, JPT Feb., 249

relative: comparison of calculated with experimental imbibition results, SPEJ Dec., 419 from capillary pressure data, (Tech. Paper) SPEJ from capillar Mar., 13

key to reservoir simulation models; engineering overview, (Tech. Paper) JPT Dec., 1428
oil water relationships; effect of rock wettability, JPT

July, 873

July, 873
use of vertical equilibrium in two-dimensional simulation of three-dimensional reservoir performance, SPEJ Mar., 63
stratified: adverse influence on a gas cycling project, (Tech. Paper) JPT Feb., 191
continuity of laminae in the Calvin sandstone, (Tech. Paper) JPT June, 661
simulation by pseudo relative permeability curves, (Tech. Paper) JPT July, 805
wall effects alter viscosity and computed permeability, (Forum) JPT Oct., 1263
wellbore: from afterflow-dominated pressure buildup data, JPT July, 863
etroleum: See also Oil

Petroleum: See also Oil financing: current developments, (Forum) JPT Feb., 202 Petroleum economics: See Economics

Petroleum engineering: can it survive the space age?, (Art.) JPT Jan., 63

evolution: as applied to oilfield operations, (Art.) JPT Jan., 107

research: evolution and state of the art, (Art.) JPT Jan., 115

Petroleum industry: See Oil industry

Phase behavior: microemulsions: comments on determining the continuous phase, (Forum) JPT Dec., 1437 multicomponent systems: calculation of pressure-temperature envelopes, (Tech. Paper) SPEJ Sept., 243 soluble oil-water systems: use for oil recovery, JPT Dec.,

1475

Phenol-formaldehyde: plastic: consolidation of dirty sands, (Tech. Paper) JPT Aug., 934 Photography: aerial: a factor that predicts fracture orienta-

tion in a gas storage reservoir, (Tech. Paper) JPT May, 546

Physical properties: granular porous media, (Tech. Paper) SPEJ Dec., 363

microemulsion: comments on determining the continuous phase, (Forum) JPT Dec., 1437

Pilot study: Mead-Strawn field: carbon dioxide test, (Tech. Paper) JPT Apr., 431

selective solvent: for purifying natural gas, JPT Apr.,

three-well: determining a proper flood pattern in a channel sand, (Tech. Paper) JPT Feb., 195
Pipelines: crude oil: drag reduction with a polymeric additive, (Tech. Paper) SPEJ Sept., 229
network system transient calculations by implicit method, (Tech. Paper) SPEJ Dec., 356
optimal routes: two-phase flow, (Tech. Paper) SPEJ Sept.,

radiotracers in gas-liquid transportation problems, (Tech Paper) JPT Aug., 939

Trans Alaska: starting behavior when filled with gelled Prudhoe Bay oil, (Tech. Paper) JPT Mar., 301
lastics: indentation analysis: general shapes of surface boundaries and punch profiles, SPEJ Sept., 321
phenol-formaldehyde: consolidation of dirty sands, (Tech.

Paper) JPT Aug., 934
Platforms: design criteria: estimating design-wave heights by extrapolation of historical storm data, SPEJ

Mar., 23

Pollution: water: government views on control, (Forum)
JPT July, 829

Polymers: drag reduction additive in crude oil pipelines,
(Tech. Paper) SPEJ Sept., 229
solutions; factors influencing mobility control, JPT Mar.,

waterflooding: prediction of performance, SPEJ Mar., 72

Pore size distribution: porous media: use of magnetic fields in determining pore geometry, (Tech. Paper) SPEJ Sept., 223

Porosity: granular porous media, (Tech. Paper) SPEJ Dec., 363

lithology interpretation: neutron, density and sonic logs; computer-oriented generalized program, (Tech. Paper) JPT Feb., 239 sandstone: hydrofluoric acid reaction with, SPEJ Sept., 306

Porous media: See also Reservoir rocks combined free and forced convection within, SPEJ Dec.,

factors influencing mobility control by polymer solutions,

JPT Mar., 391 granular: structural characteristics, (Tech. Paper) SPEJ Dec., 363

Dec., 363
impermeation by forming hydrates in situ, (Tech. Paper)
JPT Sept., 1059
permeable aquifers: physics of fine-particle movement
through, (Tech. Papers) SPEJ Dec., 367
pore geometry: use of magnetic fields in determining,
(Tech. Paper) SPEJ Sept., 223
theoretical aspects of emulsification, SPEJ June, 153

Preflushes: permeability improving: prior to consolidation of dirty sands by phenol-formaldehyde plastic, (Tech. Paper) JPT Aug., 934

Pressure behavior: See also Reservoir pressure

abnormal: permeability considerations in generation of,
(Tech. Paper) SPEJ Sept., 236
drop in pressure in tubing and annular spaces for optimum flow conditions, (Forum) JPT Apr., 447
effect with temperature on interfacial tension of water

against methane-normal decane mixtures, SPEJ June, 171

June, 171
elevated conditions: sulfur solubility in hydrogen sulfide and in carbon disulfide, SPEJ Sept., 272
multicomponent systems: calculation of phase envelopes, (Tech. Paper) SPEJ Sept., 243
reservoir rocks: effect on predicting pore compressibility, (Forum) SPEJ Dec., 340
Pressure buildup: curves: analysis after well treatment, JPT Apr., 513
determining formation capacity and skin factor, IPT July.

determining formation capacity and skin factor, JPT July,

short-term afterflow-dominated data: wellbore trans-missibility from, JPT July, 863 short-term testing, (Tech. Paper) JPT July, 800 simplified method of analysis for a stabilized well, JPT

Sept., 1155

static pressure determination of a well, JPT May, 621 theory: well in a closed drainage area, JPT Dec., 1493

Pressure distribution: under tricone bit: effect of nozzle size, number, and extension, (Tech. Paper) JPT

Nov., 1299 Pressure drawdown: tests: estimating drainage shapes, JPT Oct., 1266

Oct., 1266

Pressure maintenance: See also Gas injection, Miscible displacement, and Waterflooding
Northwest Avard project, (Tech. Paper) JPT Sept., 1074

Production: management: electronic computer ushers in new era, (Tech. Paper) JPT July, 793

natural gas: future of technology, (Art.) JPT Jan., 45

payments: current developments in petroleum financing, (Forum) JPT Feb., 202

rate: during gas injection for upstructure drainage, (Tech. Paper JPT Mar., 361

solution-gas-drive reservoirs: calculation of inflow performance of wells, (Forum) JPT Sept., 1141

Production logging: combination tool: new system for production monitoring, (Tech. Paper) JPT May, 603

Production operations: See also the specific operation evolution of petroleum engineering as applied to oilfields, (Art.) JPT Jan., 107

future forecast, (Art.) JPT Jan., 27

future forecast, (Art.) JPT Jan., 27

Properties: reservoir: formation evaluation goals, (Art.) JPT

Propylene carbonate: selective solvent for purifying natural

gas, JPT Apr., 483 Prudhoe Bay field: See Alaska Prudehoe Bay oil: See Alaska

Publications: petroleum engineering research, (Art.) JPT Jan., 115

Pulse testing: interpretion, (Forum) JPT Sept., 1143 Pumping wells: short-term buildup testing, (Tech. Paper) JPT July, 800 Pumps: efficiency improvements: defoaming agents for in-

creased oil production rates of foamy crudes, (Tech. Paper) JPT Feb., 233 positive displacement: practical hydraulics for high-pressure waterflood installations, (Tech. Paper) JPT Feb., 173

Radio: FM: splinter frequency; used in an alarm-status and data-gathering supervisory system, (Tech. Paper) JPT Feb., 169
Radio tracers: gas-liquid transportation problems: field case, (Tech. Paper) JPT Aug., 939
Rate of return: high-risk situations: competitive bidding, (Tech. Paper) JPT June, 641
Reaction rates: dissolved oxygen: chemical removal from natural waters, (Tech. Paper) JPT Apr., 443
Recovery methods: See also Oil recovery, Secondary recovery, and Thermal recovery of oil primary: in-situ combustion in Midway Sunset field, JPT Aug., 981

Aug., 981

Aug., 981
production operations of the future, (Art.) JPT Jan., 27
Regulatory practices: offshore development: admiralty law
and its effect, (Tech. Paper) JPT Mar., 276
Relative permeability: See Permeability: relative
Research: petroleum engineering: evolution and state of the
art, (Art.) JPT Jan., 115
Reserves: North America: model for continental oil supply
and distribution, (Tech. Paper) JPT Sept., 1089
proved by exploratory effort, (Tech. Paper) JPT June,
671
Reserves: analysis: See Perfective and Serves

Reservoir analysis: See Performance predictions equal-viscosity miscible displacements: use of capillary

tube networks, (Tech. Paper) SPEJ June, 99
Friendswood field, Texas, (Tech. Paper) JPT June, 685
heating by steam injection: two-dimensional, SPEJ June,
185

mathematical models for predicting behavior, JPT Sept., 1145

three-dimensional: use of vertical equilibrium in two-dimensional simulation, SPEJ Mar., 63

water influx calculations: simplified approach for finite aquifer systems, (Tech. Paper) JPT July, 814 Reservoir characteristics: description: adjustment of reservoir simulation models to match field perform-

ance, SPEJ Sept., 295

formation evaluation: goals, (Art.) JPT Jan., 55 structural: granular porous media, (Tech. Paper) SPEJ Dec., 363

Reservoir engineering: See Reservoir mechanics Reservoir limit tests: drainage shapes: estimating, JPT Oct., 1266

Reservoir mechanics: engineering in the 70's and 80's,
(Art.) JPT Jan., 33
field test of in-situ combustion process in near-depleted
water drive reservoir, (Tech. Paper) JPT Feb.,

153

Reservoir pressure: See also Pressure behavior and temperature: vapor-liquid equilibrium ratios of light hydrocarbons, SPEJ June, 176
Reservoir rocks: See also Cores and Porous media

predicting pore compressibility, (Forum) SPEJ Dec., 340 selection and performance of rotary rock bits, (Tech. Paper) JPT Nov., 1359 strength anisotropy: role in natural hole deviation, JPT Nov., 1313

wettability: effect on oil-water relative permeability rela-tionships, JPT July, 873

Reservoir simulation: See also Models anisotropy: iterative matrix solution method suitable for, SPEJ Mar., 47

compositional: fractured system, single-block model, (Tech. Paper) SPEJ June, 113 models: adjustment to match field performance, SPEJ

Sept., 295 an engineering overview, (Tech. Paper) JPT Dec., 1428 numerical: simple method for controlling gas percolation of solution gas drive reservoirs, SPEJ Mar., 85 stratified waterflooding by pseudo relative permeability curves, (Tech. Paper) JPT July, 805

Reservoirs: See also type, such as Gas-cap drive, Gravity drainage, Solution-gas drive, and Water drive, and

also specific names solution-gas drive: calculation of inflow performance of wells, (Forum) JPT Sept., 1141

simple method for controlling gas percolation in numerical simulation, SPEJ Mar., 85
true vertical thickness: use of curvature method to determine, JPT Apr., 491
Rheology: clay muds and gels: effect of thinners on fabric, (Tech. Paper) JPT Oct., 1193
factor influencing mobility control by polymer solutions.

factor influencing mobility control by polymer solutions,
JPT Mar., 391

Prudhoe Bay oil: starting behavior of gathering lines
and pipelines filled with, (Tech. Paper) JPT

Mar., 301 Risk analysis: competitive bidding, (Tech. Paper) JPT June, 641

Rock mechanics: effect of stress on gas production from low-permeability reservoirs, JPT Sept., 1161 formation compaction: prediction from laboratory compressibility data, SPEJ Sept., 263

indentation analysis: general shapes of surface boundaries and punch profiles, SPEJ Sept., 321 rock/bit-tooth interaction: conical bit teeth, SPEJ June,

Rock properties: wettability: effect on oil-water relative permeability relationships, JPT July, 873

Rocks: See Reservoir rocks

Rotary drive: engines: analysis of automatic closed-loop control, (Tech. Paper) JPT Nov., 1305
Rulison field: See Colorado

Safety: hydrogen sulfide: a toxic gas that can kill, (Forum) JPT Mar., 273

of deep divers; a review, (Tech. Paper) JPT Mar., 294 Sampling: formation: when done improperly leads to improper selection of gravel size, (Tech. Paper) JPT Dec., 1403

Sand control: consolidation of dirty sands by phenol-formaldehyde plastic, (Tech. Paper) JPT Aug.,

gravel size: improper formation sampling leads to improper gravel selection, (Tech. Paper) JPT Dec., 1403

well completions: a look forward, (Art.) JPT Jan., 128 workover and completion technology survey, (Tech. Paper) JPT Nov., 1375

Sands: channel: determining a proper flood pattern from a three-well pilot, (Tech. Paper) JPT Feb., 195 dirty: consolidation by phenol-formaldehyde plastic, (Tech. Paper) JPT Aug., 934

Sandstone: Calvin: permeability continuity of laminae,
(Tech. Paper) JPT June, 661
lens geometry and continuity: Mesaverde formation,
Rulison field area, Colorado, (Tech. Paper) JPT

Aug., 911
matrices: kinetics of methane oxidation, (Tech. Paper)
SPEJ June, 145

pore compressibility predictions, (Forum) SPEJ Dec., 340 porous: hydrofluoric acid reaction, SPEJ Sept., 306

porous: hydrofluoric acid reaction, SPEJ Sept., 306 stimulation of formations with the acid-mutual solvent method, (Tech. Paper) JPT May, 551
Scaling: physical model: for experimental investigation of steam soaking in a depletion-type reservoir, JPT Aug., 1006
Scavengers: chemical: removal of oxygen from natural waters, (Tech. Paper) JPT Apr., 443
Science: environmental: oil and ecology; need for a new outlook, (Forum) JPT May, 574
Secondary recovery: See also Gas injection, Miscible displacement, Thermal recovery of oil, Solvent flooding, and Waterflooding formation evaluation goals, (Art.) JPT Jan., 55

ing, and Waterflooding
formation evaluation goals, (Art.) JPT Jan., 55
influence of Little Buffalo Basin Tensleep heterogeneity,
(Tech. Paper) JPT Feb., 161
steamflooding: oil vaporization during, JPT June, 731
streamline model for, (Tech. Paper) SPEJ Mar., 7
waterflood predictions: empirical approach, (Tech. Paper) JPT May, 565
Sedimentary rocks: directional properties: fracture orientation prediction in gas storage reservoir, (Tech. Paper) JPT May, 546
Shale: hydration: drilling fluid problem, (Tech paper) JPT
Nov., 1294

Nov., 1294 sandstone sequence: permeability considerations in gen-eration of abnormal pressures, (Tech. Paper) SPEJ Sept., 236

Shale oils: See Oil shales
Shape factor: drainage shape estimation from reservoir limit tests, JPT Oct., 1266
Sidewall coring: comparison with conventional core data and well logging analyses, (Tech. Paper) JPT Dec., 1409

Simulation: experimental: of zones preceding the combus-tion front of an in-situ combustion process, SPEJ Mar., 38

gas-well performance: using tabular-graphical techniques, (Tech. Paper) JPT Oct., 1202 matrix acidization: with highly reactive acids, SPEJ Dec.,

model: evaluating gas field gathering system design, (Tech. Paper) JPT Sept., 1067
numerical: Kaybob South gas cycling projects, (Tech. Paper) JPT Oct., 1253

sandstone continuity: Mesaverde formation, Rulison field area, Colorado, (Tech. Paper) JPT Aug., 911 two-dimensional: of three-dimensional reservoir perform-

ance; use of vertical equilibrium, SPEJ Mar., 63

ance; use of vertical equilibrium, SPEJ Mar., 63
Skin effect: estimating: partially completed damaged well,
JPT Feb., 249
stabilized well: simplified method of pressure buildup
analysis, JPT Sept., 1155
use of open flow potential test data in determining, JPT
July, 879
Slurries: non-Newtonian: between flat parallel plates; theory
of transitional and turbulent flow, SPEJ Mar., 52
Soluble oils: use for oil recovery, JPT Dec., 1475
Solubility: sulfur in hydrogen sulfide and in carbon disulfide
at elevated temperature and pressure, SPEJ Sept..

at elevated temperature and pressure, SPEJ Sept., 272

Solution-gas drive: reservoirs: calculation of inflow per-formance of wells, (Forum) JPT Sept., 1141 simple method for controlling gas percolation in nu-merical simulation, SPEJ Mar., 85 Solvent flooding: hot water bank: oil recovery by driving hydrocarbon slugs, (Tech. Paper) SPEJ Dec., 342 stimulation of sandstone formations, (Tech. Paper) JPT

May, 551
Solvents: selective: for purifying natural gas, JPT Apr., 483
Sonic method: porosity-lithology interpretation: computeroriented generalized program, (Tech. Paper) JPT
Feb., 239

Spindletop field: See Texas

Stability: borehole: drilling fluids problems, (Tech. Paper) JPT Nov., 1294

JPT Nov., 1294
hydrodynamic: líquid surfaces in porous media; emulsification aspects, SPEJ June, 153
Static pressure: gas and oil wells: method for determining from buildup data, JPT May, 621
Statistics: extrapolation of historical storm data for estimating design-wave heights, SPEJ Mar., 23
mathematical analysis of errors in directional survey calculations, (Tech. Paper) JPT Nov., 1368
structural characteristics: granular porous media. (Tech.

structural characteristics: granular porous media, (Tech. Paper) SPEJ Dec., 363
use in organization of field tests and evaluation of tricone

bit performance, JPT Apr., 506
Steam injection: See Thermal recovery of oil
Stimulation: See Well stimulation or the specific process reservoir: oil vaporization during steamflooding, JPT

reservoir: oil vaporization during steamflooding, JPI June, 731
steam: TM sand project, Huntington Beach offshore field, JPT Aug., 987
Storage: gas: economics of underground type, (Tech. Paper) JPT Oct., 1221
gas reservoir: factors that predict fracture orientation, (Tech. Paper) JPT May, 546
Storage facilities: See Underground storage
Stratification: See Permeability: stratified
Stresses: reservoir rocks: effect on predicting pore com-

Stresses: reservoir rocks: effect on predicting pore compressibility, (Forum) SPEJ Dec., 340
Sulfur: solubility: in carbon disulfide and hydrogen sulfide at elevated temperature and pressure, SPEJ Sept., 272

Supply and demand: energy: long-range planning 20 years ahead, (Art.) JPT Jan., 13
for first ten of next hundred years, (Art.) JPT Jan., 11
gas: economics of underground storage, (Tech. Paper)
JPT Oct., 1221
factors controlling, (Art.) JPT Jan., 41
Surface active agents: control of oil slick growth, (Tech. Paper) JPT July, 781
Surphytic fuels: productions of the future (Art.)

Synthetic fuels: production operations of the future, (Art.) JPT Jan., 27

Taxation: petroleum financing: current developments, (Forum) JPT Feb., 202 Technical committee: SPE: Uintah Basin Section uses TIC

concept to advise citizens of earthquake study, (Art.) JPT Mar., 340
al papers: petroleum engineering research, (Art.)
JPT Jan., 115

Technical

Technical proficiency: a key to drilling success in coming decades, (Art.) JPT Jan., 122
natural gas production, (Art.) JPT Jan., 45
Telemetering: FM radio splinter frequency: used in an alarm-status and data-gathering supervisory system, (Tech. Paper) JPT Feb., 169

tem, (Tech. Paper) JPT Feb., 169

Temperature: earth: depths to which frozen gas fields may be expected, (Tech. Paper) JPT Apr., 419
effect with pressure on interfacial tension of water against methane-normal decane mixtures, SPEJ June, 171
elevated conditions: sulfur solubility in hydrogen sulfide and in carbon disulfide, SPEJ Sept., 272
high: method of correlation of gas-solid adsorption data, (Forum) SPEJ Mar., 4
level: effect upon capillary pressure curves, (Tech. Paper) SPEJ Mar., 13
low: cementing materials, (Tech. Paper) JPT Oct., 1215
pressure: phase envelope calculations of multicomponent systems, (Tech. Paper) SPEJ Sept., 243

Ternary diagrams: soluble oil-water system: describes

Ternary diagrams: soluble oil-water system: describes phase behavior in oil recovery, JPT Dec., 1475

Testing: from floating vessels: developments, (Tech. Paper)
JPT July, 788
injection wells: fracturing gradients in waterfloods of
low-permeability, partially depleted zones, (Tech.
Paper) JPT June, 727
natural gas wells: future of technology, (Art.) JPT Jan.,
45

reservoir limits: estimating drainage shapes, JPT Oct., 1266

saturation dives: review of health and safety of deep divers, (Tech. Paper) JPT Mar., 294 short-term buildup, (Tech. Paper) JPT July, 800

Texas: field applications: automatic closed-loop control of rotary drive engines, (Tech. Paper) JPT Nov., 1305

Friendswood field: unitization and pressure maintenance by water injection, (Tech. Paper) JPT June, 685 Gulf Coast: gas cycling project; adverse influence of stratification, (Tech. Paper) JPT Feb., 191 ground subsidence; solution to problems in casing strings and wellheads, (Tech. Paper) JPT June,

654

Hawkins field: mathematical models for predicting reservoir behavior, JPT Sept., 1145

Mead-Strawn field: carbon dioxide test, (Tech. Paper)

Mead-Strawn field: carbon dioxide test, (Tech. Paper) JPT Apr., 431
Means San Andres unit: evaluation and modification of the waterflood, (Tech. Paper) JPT Dec., 1421
North Government Wells field: field test of in-situ combustion process in a near-depleted water drive reservoir, (Tech. Paper) JPT Feb., 153
Pegasus field: electronic computer production management, (Tech. Paper) JPT July, 793
Spindleton field: great oil well near Beaumont. (Art.)

Spindletop field: great oil well near Beaumont, (Art.)
JPT Nov., 1328

relationship between hydrocarbon accumulation and geo-pressure and its economic significance, (Tech. Pa-per) JPT Aug., 923; discussion, 931

Welch field: simulation of stratified waterflooding by pseudo relative permeability curves, (Tech. Paper) JPT July, 805

Thermal neutron decay time logs: quantitative interpretation, JPT June, 743 and 756

Thermal recovery of oil: convection: combined free and forced in porous media, SPEJ Dec., 399

het water ben't division bydesetter [Tech. Page 1]

hot water bank: driving hydrocarbon slugs, (Tech. Paper) SPEJ Dec., 342

in-situ combustion: a primary recovery process in Mid-way Sunset field, JPT Aug., 981 experimental simulation of the zones preceding the combustion front, SPEJ Mar., 38 field test of process in a near-depleted water drive reservoir, (Tech. Paper) JPT Feb., 153 methane oxidation: kinetics inside sandstone matrices, (Tech. Paper) SPEJ June, 145

oil vaporization during steamflooding, JPT June, 731 steam injection: two-dimensional analysis of reservoir heating, SPEJ June, 185 wells; magnetic device to detect tension failures in casing, (Tech. Paper) JPT Aug., 905 steam soaking: experimental investigation in a depletion-

type reservoir, JPT Aug., 1006

type reservoir, JPT Aug., 1006
steam stimulation: TM sand project, Huntington Beach
offshore field, JPT Aug., 987
water-driven steam slug: oil recovery, (Tech. Paper)
SPEJ Dec., 351
Thinners: effect on fabric of clay muds and gels, (Tech.
Paper) JPT Oct., 1193
Toxic effects: hydrogen sulfide: a gas that can kill, (Forum)

Toxic effects: hydrogen sulfide: a gas that can kill, (Forum)
JPT Mar., 273

oxygen: review of health and safety of deep divers,
(Tech. Paper) JPT Mar., 294

Tracers: argon 41 and bromine 82: use in gas-liquid transportation problems, (Tech. Paper) JPT Aug., 939

Transient flow: network system calculations by implicit method, (Tech. Paper) SPEJ Dec., 356

Transportation: problems; use of radiotracers in gas-liquid mixtures, (Tech. Paper) JPT Aug., 939

Tubing: optimum flow conditions through, (Forum) JPT Apr., 447

Tubing: opinion Apr., 447

Tubular goods: well completions: a look forward, (Art.)

JPT Jan., 128

Alacka

Tundra: Arctic as an industrial environment: some aspects of petroleum development in northern Alaska,

(Art.) JPT Jan., 19
Turbulent flow: dispersion in porous materials: modeled by mixing cell with stagnant zone, SPEJ Mar., 57 theory: : non-Newtonian slurries between flat parallel plates, SPEJ Mar., 52

Underground storage: gas: economics of, (Tech. Paper)

JPT Oct., 1221

impermeation of porous media by forming hydrates
in situ, (Tech. Paper) JPT Sept., 1059

Uintah basin: See Colorado

Valuations: See Evaluations
Valves: safety: developments in testing from floating vessels, (Tech. Paper) JPT July, 788
Vaporization: oil: during steamflooding, JPT June, 731
Vapor pressure: extrapolation: method of correlation of high-temperature, high-pressure gas-solid adsorption data, (Forum) SPEJ Mar., 4
Velocity logging: See Acoustic velocity logging
Viscoelasticity: factor influencing mobility control by polymer solutions, JPT Mar., 391
Viscosity: differences: leading to emulsification in porous media, SPEJ June, 153
equal: use of capillary tube networks in reservoir performance studies of miscible displacements, (Tech. Paper) SPEJ June, 99

Paper) SPEJ June, 99
liquids: porous media; wall effects alter, (Forum) JPT
Oct., 1263
Volatile oils: calculation of pressure-temperature phase envelopes, (Tech. Paper) SPEJ Sept., 243

Water: connate: early development of knowledge, (Forum) JPT Oct., 1264

interfacial tension: against methane-normal decane mix-tures; effect of temperature and pressure, SPEJ June, 171

natural: chemical removal of oxygen, (Tech. Paper)

offshore challenge, (Art.) JPT Mar., 317
permeable aquifers: physics of fine-particle movement through, (Tech Paper) SPEJ Dec., 367

underrunning: mathematical models for predicting reservoir behavior, JPT Sept., 1145

Water base gels: fracturing fluid: heat transfer effects in deep wells, JPT Dec., 1484

Water coning: mathematical models for predicting reservoir behavior, JPT Sept., 1145

Water description of the provided oil recovery method, JPT Dec., 1467

Water drive: Northwest Avard field, Oklahoma, (Tech. Paper) JPT Sept., 1074

Water drive reservoirs: near-depleted: field test of in-situ combustion process, (Tech. Paper) JPT Feb., 153

water influx calculations: simplified approach for finite aquifer systems, (Tech. Paper) JPT July, 814

Waterflooding: driving steam slug: oil recovery by, (Tech. Paper) SPEJ Dec., 351

fracturing gradients in low-permeability, partially depleted zones, (Tech. Paper) JPT June, 727

high-pressure installations: practical hydraulics of positive displacement pumps, (Tech. Paper) JPT Feb., 173

hot: oil recovery by driving hydrocarbon slugs, (Tech. Paper) SPEJ Dec., 342

Lewis Booch sand unit, Oklahoma: determining a proper flood pattern from a three-well pilot in a channel sand, (Tech. Paper) JPT Feb., 195

Means San Andres unit: evaluation and modification, (Tech Paper) JPT Dec., 1421

peripheral and line drives: predicting optimum shut-in of wells, JPT Apr., 497

peripheral and line drives: predicting optimum shut-in of wells, JPT Apr., 497 predictions: empirical approach, (Tech. Art.) JPT May,

stratified: simulation by pseudo relative permeability curves, (Tech. Paper) JPT July, 805
steam channel concept applied to performance calculations for multiwell, multizone, three-component cases, (Tech. Paper) JPT Mar., 737

Water influx: calculations: simplified approach for finite aquifer systems, (Tech. Paper) JPT July, 814
Water injection: Friendswood field, Texas: additional recovery, (Tech. Paper) JPT June, 685

Water pollution: control: government views, (Forum) JPT

July, 829

Water saturation: irreducible: effect of temperature level, (Tech. Paper) SPEJ Mar., 13

Water shutoff: formation plugging: chemical method, (Tech. Paper) JPT May, 559 Wave action: tension leg platform: analysis of, SPEJ Sept.,

Wave heights: estimating for design: extrapolation of his-torical storm data, SPEJ Mar., 23

Webster field: See Texas, Friendswood field

Welch field: See Texas

Wellbore mechanics: damage analysis: short-term buildup testing, (Tech. Paper) JPT July, 800 drilling fluids problem, (Tech. Paper) JPT Nov., 1294 fluid movement: chemical method for formation plugging, (Tech. Paper) JPT May, 559 rock strength anisotropy: role in natural hole deviation, JPT Nov., 1313

transmissibility from afterflow-dominated pressure buildup data, JPT July, 863

Well completions: See also specific types a look forward, (Art.) JPT Jan., 128 and workovers: survey of technology, (Tech. Paper) JPT

Nov., 1375
Cedar Creek anticline, Montana and North Dakota:
casing failure study, (Tech. Paper) JPT June, 676
damaged: estimating skin effect in a partially completed

damaged: estimating skin effect in a partially completed well, JPT Feb., 249
external casing packers: zonal segregation in the Wilmington oil field, (Tech. Paper) JPT Sept., 1101
gravel size: improper formation sampling leads to improper selection, (Tech Paper) JPT Dec., 1403
natural gas wells: future of technology, (Art.) JPT Jan.,

Wellheads: solution to ground subsidence problems, (Tech. Paper) JPT June, 654

Well logging: analyses: comparison with conventional core data and sidewall samples, (Tech. Paper) JPT Dec., 1409

in formations with complex lithologies, JPT Aug., 995

in formations with complex lithologies, JPT Aug., 995 carbon logging: theoretical and laboratory evaluation, (Tech. Paper) SPEJ June, 129; discussion, 137 formation evaluation goals, (Art.) JPT Jan., 55 magnetic casing tool: device to detect tension failures in oilfield casing, (Tech. Paper) JPT Aug., 905 production combination tool: new system for production monitoring, (Tech. Paper) JPT May, 603 thermal neutron decay time logs: quantitative interpretation, JPT June, 743 and 756 Well logs: geopressure calculations: economic significance, (Tech. Paper) JPT Aug., 923; discussion, 931 neutron, density and sonic: computer-oriented generalized porosity-lithology interpretation, (Tech. Paper) JPT Feb., 239
Well pattern: line drive and five spot: prediction of polymer flood performance, SPEJ Mar., 72
Means San Andres unit waterflood: evaluation and modification, (Tech Paper) JPT Dec., 1421
Well performance: See also Wellbore mechanics calculation of inflow: solution-gas-drive reservoirs, (Forum) JPT Sept., 1141

(Forum) JPT Sept., 1141

closed drainage area: general pressure buildup theory, JPT Dec., 1493

JPT Dec., 1493
gas: simulation using tabular-graphical techniques, (Tech. Paper) JPT Oct., 1202
new system for production monitoring: production combination tool, (Tech. Paper) JPT May, 603
skin effect: estimating in a partially completed damaged well, JPT Feb., 249
stabilized well: simplified method of pressure analysis, JPT Sept., 1155
[ell stimulation: Sep. also, Acidizing and Formation fractions]

Well stimulation: See also Acidizing and Formation fracturing

a look forward, (Art.) JPT Jan., 128
deep well fracturing: heat transfer effects, JPT Dec., 1484
micellar solutions: development and evaluation to improve water injectivity, (Tech. Paper) JPT May,
614

pseudolimited entry successful: thick, low-pressure, water-sensitive gas reservoir, (Tech. Paper) JPT Feb., 185

sandstone formations: acid-mutual solvent method, (Tech. Paper) JPT May, 551
workover and completion technology survey, (Tech. Paper) JPT Nov., 1375
Well treatment: analysis of buildup curves obtained after, JPT Apr., 513
Well workovers: See Workovers
Wettability: rock: effect on oil-water relative permeability relationships, JPT July, 873
Wilmington field: See California
Workovers: and completions: technological survey. (Tech.

Wilmington field: See California
Workovers: and completions: technological survey, (Tech.
Paper) JPT Nov., 1375
Cedar Creek anticline, Montana and North Dakota:
casing failure study, (Tech. Paper) JPT June, 676
remedial: well selection from afterflow-dominated pressure buildup data, JPT July, 863
Wormholes: limestone formations: characteristics of acid reaction, SPEJ Dec., 406
matrix acidization: with highly reactive acids, SPEJ Dec., 390
Wyoming: Little Ruffalo Basin field: Tensleen beterogeneity.

Wyoming: Little Buffalo Basin field: Tensleep heterogeneity; its influence on drilling and secondary recovery, (Tech. Paper) JPT Feb., 161

Zonation: segregation: use of external casing packers in the Wilmington oil field, (Tech. Paper) JPT Sept.,